2N3866 2N3866A

NPN SILICON HIGH FREQUENCY TRANSISTOR




www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR 2N3866 and 2N3866A are Silicon NPN RF Transistors, mounted in a hermetically sealed package, designed for high frequency amplifier and oscillator applications.

MARKING: FULL PART NUMBER



MAXIMUM RATINGS: (T_A=25°C unless otherwise noted)

	SYMBOL		UNITS
Collector-Base Voltage	V_{CBO}	55	V
Collector-Emitter Voltage	V_{CEO}	30	V
Emitter-Base Voltage	V_{EBO}	3.5	V
Continuous Collector Current	IC	0.4	Α
Continuous Base Current	I_{B}	2.0	Α
Power Dissipation (T _C =25°C)	P_{D}	5.0	W
Operating and Storage Junction Temperature	T _J , T _{stg}	-65 to +200	°C
Thermal Resistance	ΘJC	35	°C/W

ELECTRICAL CHA	RACTERISTICS:	$(T_{\Lambda}=25^{\circ}C)$ unless	otherwise noted)

TEST CONDITIONS	MIN	MAX	UNITS
V _{CE} =28V		20	μΑ
V_{CE} =55V, $V_{BE(OFF)}$ =1.5V		0.1	mA
$V_{CE}=30V, V_{BE(OFF)}=1.5V, T_{C}=200^{\circ}C$		5.0	mA
V _{EB} =3.5V		0.1	mA
I_C =5.0mA, R_{BE} =10 Ω	55		V
I _C =500μA	55		V
I _C =5.0mA	30		V
I _E =100μA	3.5		V
I _C =100mA, I _B =20mA		1.0	V
V _{CE} =5.0V, I _C =50mA (2N3866)	10	200	
V _{CE} =5.0V, I _C =50mA (2N3866A)	25	200	
V_{CE} =5.0V, I_{C} =360mA	5.0		
V_{CE} =15V, I_{C} =50mA, f=200MHz (2N3866)	500		MHz
V_{CE} =15V, I_{C} =50mA, f=200MHz (2N3866A)	800		MHz
V_{CB} =28V, I_E =0, f=1.0MHz		3.0	pF
V_{CC} =28V, P_{out} =1.0W, f=400MHz (Figure 1)		10	dB
V_{CC} =28V, P_{out} =1.0W, f=400MHz (Figure 1)		45	%
	TEST CONDITIONS V _{CE} =28V V _{CE} =55V, V _{BE} (OFF)=1.5V V _{CE} =30V, V _{BE} (OFF)=1.5V, T _C =200°C V _{EB} =3.5V I _C =5.0mA, R _{BE} =10Ω I _C =5.0mA I _C =5.0mA I _E =100µA I _C =100mA, I _B =20mA V _{CE} =5.0V, I _C =50mA (2N3866) V _{CE} =5.0V, I _C =50mA (2N3866A) V _{CE} =5.0V, I _C =360mA V _{CE} =15V, I _C =50mA, f=200MHz (2N3866) V _{CE} =15V, I _C =50mA, f=200MHz (2N3866A) V _{CB} =28V, I _E =0, f=1.0MHz V _{CC} =28V, P _{out} =1.0W, f=400MHz (Figure 1)	$\begin{array}{llllllllllllllllllllllllllllllllllll$	TEST CONDITIONS MIN MAX VCE=28V 20 VCE=55V, VBE(OFF)=1.5V 0.1 VCE=30V, VBE(OFF)=1.5V, TC=200°C 5.0 VEB=3.5V 0.1 IC=5.0mA, RBE=10Ω 55 IC=500μA 55 IC=5.0mA 30 IE=100μA 3.5 IC=100mA, IB=20mA 1.0 VCE=5.0V, IC=50mA (2N3866) 10 200 VCE=5.0V, IC=50mA (2N3866A) 25 200 VCE=5.0V, IC=360mA 5.0 500 VCE=15V, IC=50mA, f=200MHz (2N3866A) 800 VCE=15V, IC=50mA, f=200MHz (2N3866A) VCB=28V, IE=0, f=1.0MHz 3.0 3.0 VCC=28V, Pout=1.0W, f=400MHz (Figure 1) 10

R2 (15-September 2010)

2N3866 2N3866A

NPN SILICON HIGH FREQUENCY TRANSISTOR







Figure 1. 400MHz Test Circuit

TO-39 CASE - MECHANICAL OUTLINE



DIMENSIONS				
	INCHES		MILLIM	ETERS
SYMBOL	MIN	MAX	MIN	MAX
A (DIA)	0.335	0.370	8.51	9.40
B (DIA)	0.315	0.335	8.00	8.51
С	-	0.040	-	1.02
D	0.240	0.260	6.10	6.60
Е	0.500	-	12.70	-
F (DIA)	0.016	0.021	0.41	0.53
G (DIA)	0.200		5.	08
Н	0.100		2.	54
	0.028	0.034	0.71	0.86
J	0.029	0.045	0.74	1.14

TO-39 (REV: R1)

LEAD CODE:

- 1) Emitter
- 2) Base
- 3) Collector

MARKING: FULL PART NUMBER

R2 (15-September 2010)

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- · Custom bar coding for shipments
- · Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free guick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- · Environmental regulation compliance
- · Customer specific screening
- · Up-screening capabilities

- Special wafer diffusions
- PbSn plating options
- · Package details
- Application notes
- · Application and design sample kits
- Custom product and package development

REQUESTING PRODUCT PLATING

- 1. If requesting Tin/Lead plated devices, add the suffix "TIN/LEAD" to the part number when ordering (example: 2N2222A TIN/LEAD).
- 2. If requesting Lead (Pb) Free plated devices, add the suffix "PBFREE" to the part number when ordering (example: 2N2222A PBFREE).

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA

Main Tel: (631) 435-1110 Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388

www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

Worldwide Distributors:

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: www.centralsemi.com/terms

www.centralsemi.com (001)



Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	
Last Shipment Date	Stock Only

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. We are unable to accept any further orders for these products <u>unless</u> we have available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor Corp.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	
Last Shipment Date	Stock Only

Summary: The CP616, CP617, CP618, CP223, CP229 and CP243 RF transistor die processes are discontinued and now classified and End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by other manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's ongoing Product Management Process. Any replacement products are noted below. The effective date for placing last purchase orders will be six (6) months from the date of this notice and twelve (12) months from the notice date for final shipments, and minimum order quantities may apply. The last purchase and shipment dates may be extended if inventory is available.

Central Part Number	Replacement
BFW16A	N/A, Stock Only
CEN1179	N/A, Stock Only
CEN5503	N/A, Stock Only
CM4957	N/A, Stock Only
CM5160	N/A, Stock Only
CM5583	N/A, Stock Only
CM5943	N/A, Stock Only
CP223-2N3866-CT	N/A, Stock Only
CP223-2N3866-WN	N/A, Stock Only
CP229-2N5109-CM	N/A, Stock Only
CP229-2N5109-CT	N/A, Stock Only
CP229-2N5109-CT20	N/A, Stock Only
CP229-2N5109-WN	N/A, Stock Only
CP243-CM5943-WN	N/A, Stock Only
CP616-CM5160-CT	N/A, Stock Only
CP616-CM5160-CT20	N/A, Stock Only
CP616-CM5160-WN	N/A, Stock Only
CP616-2N5160-CM	N/A, Stock Only
CP616-2N5160-CT	N/A, Stock Only
CP616-2N5160-WN	N/A, Stock Only
CP617-CEN1271-CM	N/A, Stock Only
CP617-CEN1271-CT	N/A, Stock Only
CP617-CEN1271-WN	N/A, Stock Only
CP617-CM4957-CM	N/A, Stock Only
CP617-CM4957-CT	N/A, Stock Only
CP617-CM4957-CT20	N/A, Stock Only
CP617-CM4957-WN	N/A, Stock Only
CP618-CM5583-CT	N/A, Stock Only
CP618-CM5583-WN	N/A, Stock Only
CP618-2N5583-WN	N/A, Stock Only
2N3866	N/A, Stock Only
2N3866 TRAY	N/A, Stock Only
2N3866A	N/A, Stock Only
2N4427	N/A, Stock Only
2N5109	N/A, Stock Only
2N5109UB BK	N/A, Stock Only

*** CONTINUED ***

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	
Last Shipment Date	Stock Only

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. We are unable to accept any further orders for these products <u>unless</u> we have available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor Corp.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



Central Part Number

Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	
Last Shipment Date	Stock Only

*** CONTINUED FROM PRIOR PAGE ***

Renlacement

Central would be happy to assist you	by providing additional information or technical data to help locate an alternate source if we
have no replacement available. Pleas	se email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.