

No.: ETR23504720

Date: 05-Jun-2023

Page: 1 of 19

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

: MK ELECTRON CO., LTD.

Sample Name

GOLD WIRE

Style/Item No.

: 4N

Sample Receiving Date

26-May-2023

Testing Period

26-May-2023 to 02-Jun-2023

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results Conclusion : P

Please refer to following pages.

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Department Mayager Signed for and on behalf of AIWAN LTD.
Chemical Laboratory - Taipei



No.: ETR23504720

Date: 05-Jun-2023

Page: 2 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Part Description

No.1

GOLDEN COLORED METAL WIRE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1]
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	. 2	n.d.	100
Lead (Pb)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.	-
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	_
Pentabromobiphenyl		mg/kg	5	n.d.	_
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether	7	mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	_
Sum of PBDEs		mg/kg	-	n.d.	1000



No.: ETR23504720

Date: 05-Jun-2023

Page: 3 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	[
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.		,		
Short Chain Chlorinated	With reference to ISO 18219-1: 2021,	mg/kg	50	n.d.	-
Paraffins(C10-C13) (SCCP) (CAS No.:	analysis was performed by GC/MS.				
85535-84-8)					
Tributyl tin (TBT)		mg/kg	0.03	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)		mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.	-
No.: 56-35-9)	Tin (TBT).				
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	5.95	-
	analysis was performed by ICP-OES.				
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				Ì
PFOS and its salts (CAS No.: 1763-		mg/kg	0.01	n.d.	-
23-1 and its salts)	With reference to CEN/TS 15968: 2010,				i
PFOA and its salts (CAS No.: 335-67-	analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1 and its salts)					
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021,	**		Negative	-
	analysis was performed by FT-IR and				
	Flame Test.				



No.: ETR23504720

Date: 05-Jun-2023

Page: 4 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)	With reference to IEC 62321-8: 2017, mg/kg analysis was performed by GC/MS.		50	n.d.	-
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
1,2-Benzenedicarboxylic acid, di-C6- 8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	_
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-



No.: ETR23504720

Date: 05-Jun-2023

Page: 5 of 19

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Sulfur hexafluoride (CAS No.: 2551-62-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Cobalt (Co) (CAS No.: 7440-48-4)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Red Phosphorus	Analysis was performed by Pyrolyzer- ** - GC/MS.		Negative	-	

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

8. PFOA and its salts including:

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

- 9. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 10. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

11. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



No.: ETR23504720

Date: 05-Jun-2023


Page: 6 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)





No.: ETR23504720

Date: 05-Jun-2023

Page: 7 of 19


MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - PBBs / PBDEs

First testing process

Optional screen process

Confirmation process





No.: ETR23504720


Date: 05-Jun-2023

Page: 8 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






No.: ETR23504720

Date: 05-Jun-2023

Page: 9 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Organic-Tin





No.: ETR23504720

Date: 05-Jun-2023

Page: 10 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Sample pretreatment / Separation

Analytical flow chart - Halogen

Oxygen bomb combustion / Absorption

Weighting and putting sample in cell

Dilution to fixed volume

Analysis was performed by IC



No.: ETR23504720

Date: 05-Jun-2023


Page: 11 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】






No.: ETR23504720

Date: 05-Jun-2023

Page: 12 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






No.: ETR23504720

Date: 05-Jun-2023

Page: 13 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analysis flow chart - PVC





No.: ETR23504720


Date: 05-Jun-2023

Page: 14 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23504720

Date: 05-Jun-2023

Page: 15 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - HBCDD





No.: ETR23504720


Date: 05-Jun-2023

Page: 16 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of volatile organic compounds (VOCs)

[Reference method: US EPA 5021A]





No.: ETR23504720


Date: 05-Jun-2023

Page: 17 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Flow chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Added appropriate reagent to total digestion




No.: ETR23504720

Date: 05-Jun-2023

Page: 18 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Red phosphorus





No.: ETR23504720


Date: 05-Jun-2023

Page: 19 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23504720



** End of Report **