

No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

TANAKA ELECTRONICS (MALAYSIA) SDN. BHD.

PLOT 11, PHASE IV, BAYAN LEPAS FIZ, 11900, PENANG, MALAYSIA.

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION

: GLD

SAMPLE RECEIVED

: 09-August-2023

TESTING PERIOD

: 09-August-2023 to 25-August-2023

TEST REQUESTED

Selected test(s) as requested by customer

TEST METHOD

: -PLEASE REFER TO NEXT PAGE(S)-

TEST RESULTS

: -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 1 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-add-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-add-conditions/terms-ad-countmath. at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company on unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the full test extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable excepted on the results of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable excepted on the full state of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable excepted to the full state except and such sample(s) are retained for 7 days (for perishable excepted to the full state excepted to th offenders may be prosecuted to the fullest ex samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.	N.D.	2	Max 1000
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.	N.D.	2	Max 100
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.	N.D.	2	Max 1000
Hexavalent Chromium (CrVI)	µg/cm²	With reference to IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.	N.D.	0.10	-
Hexavalent Chromium (CrVI)	mg/kg	With reference to JIS H 8625, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.	N.D.	2	Max 1000
Sum of PBBs	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	Max 1000
Monobromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Dibromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tribromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Pentabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Hexabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Octabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

SGS 10871-T TAY SIAM PINE TECHNICAL MANAGÈR. IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 2 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/en/terms-and-conditions



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Sum of PBDEs	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	Max 1000
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-

Note:

- (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm
- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) = Not regulated
- (e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (f) a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 μg/cm². The sample coating is considered to contain CrVI.
 - b. The sample is negative for CrVI if CrVI is N.D. (concentration less than 0.10 μg/cm²). The coating is considered a non-CrVI based coating.
 - c. The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 3 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.acs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.scs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's solor responsibility is to its Cilent and this document does not exencise parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933

Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

TEST RESULTS:

Test Part Description

Sample Description:

-PLEASE REFER TO PAGE 1-

Optional: RoHS Directive 2011/65/EU, priority substances

Test Parameter(s):	Unit	Test Method	Result	MDL
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6(134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	In-house method, SGS-TM-RSTS-O-012, with reference to IEC 62321-6:2015. Analysis was performed by GCMS	N.D.	5

Note:

(a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

(b) N.D. = Not Detected

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGÈR. IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 4 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sqs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Bridge and the sepansibility is to its Client and this document does not exenerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933

Job Ref. C&P/2023-08-09-013

REPORTED DATE:

25-August-2023

TEST RESULTS:

Test Part Description

Sample Description:

-PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Dibutyl phthalate (DBP) (CAS No. 84-74-2)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Di(2-ethylhexyl) phthalate (DEHP) (CAS No. 117-81-7)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Benzyl butyl phthalate (BBP) (CAS No. 85-68-7)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Diisobutyl phthalate (DIBP) (CAS No. 84-69-5)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000

- (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) = Not regulated
- (e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (f) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Page 5 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sqs.com/en/terms-and-conditions/terms-a-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exercise at transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933

Job Ref. C&P/2023-08-09-013

REPORTED DATE:

25-August-2023

TEST RESULTS BY CHEMICAL METHOD:

Test Part Description

Sample Description:

-PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Dimethyl Fumarate (CAS No.:624-49-7)	mg/kg	With reference to US EPA 3550C method. Analysis was performed by GC/MS.	N.D.	0.1
Polychlorinated biphenyls(PCB)	mg/kg	In-house method SGS-TM-RSTS-O-015 with reference to EPA 3550C. Analysis was performed by GC-MS and/or GC-ECD	N.D.	0.5
Polychlorinated naphthalene(PCN)	mg/kg	In-house method SGS-TM-RSTS-O-015 with reference to EPA 3550C. Analysis was performed by GC-MS and/or GC-ECD	N.D.	5
Polychlorinated terphenyls(PCT)	mg/kg	In-house method SGS-TM-RSTS-O-015 with reference to EPA 3550C. Analysis was performed by GC-MS and/or GC-ECD	N.D.	5
Alkanes,C10-13,chloro(SCC P) (CAS No. :85535-84-8	mg/kg	With reference to EPA 3550C. Analysis was performed by GC-ECD	N.D.	100
Polyvinylchloride (PVC)	-	Analysis was performed by FTIR and FLAME Test	NEGATIVE	-
Antimony (Sb)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES.	N.D.	2
Beryllium (Be)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES.	N.D.	2
Magnesium (Mg)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES.	N.D.	20
Arsenic (As)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES.	N.D.	2
Phosphorus, P	mg/kg	With reference to EPA3052,performed by ICP-OES	N.D.	20
Perfluorooctanoic acid (PFOA)	%	With reference to US EPA 3550C:2007. Analysis was performed by HPLC-MS	N.D.	0.001
Perfluorooctanesulfonic acid (PFOS)	%	With reference to US EPA 3550C:2007. Analysis was performed by HPLC-MS	N.D.	0.001

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 6 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sns.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sns.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE:

25-August-2023

Halogen	-	-	-	_
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (Cl)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content.	N.D.	50
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for lodine content.	N.D.	50

Note : (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) Negative = Undetectable / Positive = Detectable

TEST RESULTS BY CHEMICAL METHOD:

Test Part Description

Sample Description:

-PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Phthalates	-	-	_	-
Di-n-octyl phthalate (DNOP) (CAS No. 117-84-0)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50
Di-isononyl phthalate (DINP) (CAS No.: 2855-3-12-0;68515-48-0)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	100
Di-n-hexyl phthalate (DnHP/DHEXP) (CAS No. 84-75-3)	mg/kg	In-house SGS-TM-RSTS-O-003 with reference to IEC 62321-8:2017. Analysis was performed by GC-MS.	N.D.	50
Bis (2-methoxyethyl) phthalate (DMEP) (CAS No.:117-82-8)	mg/kg	In-house SGS-TM-RSTS-O-003 with reference to IEC 62321-8:2017. Analysis was performed by GC-MS.	N.D.	50
Di-isodecyl phthalate (DIDP) (CAS No.: 2676-1-40-0,68515-49-1)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	100

Note:

(a) mg/kg = ppm ; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm (b) N.D. = Not Detected

(c) MDL = Method Detection Limit

SGS

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGÈR. IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 7 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sigs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sigs.com/en/terms-end-conditions/terms-end-co



No. CPSA/230818350-CB28933

Job Ref. C&P/2023-08-09-013

REPORTED DATE:


25-August-2023

Test Part Description:

Sample Description:

-PLEASE REFER TO PAGE 1-

TANAKA ELECTRONICS (MALAYSIA) SDN. BHD. CB28933



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-1 TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 8 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic Documents at https://www.sqs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not expensive a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and sample be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321-5 2013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321-5 2013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321-4 2013/AMD1 2017

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.1-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-1 2015

Sample Receiving and Registration

Sample Preparation

Boiling-water-extraction

Analyses by UV-Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321-6 2015

Sample Preparation

Weigh sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF

SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

10871-T

Page 9 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-a-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solor sepansibility is to its Client and this document does not exercise parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE:

25-August-2023

DETERMINATION OF HBCDD CONTENT

Sample preparation

Weigh sample (0.5 - 4.0g) into extraction thimble

Solvent extraction with Toluene

Filter through 0.45 µm membrane filter

Analysis by GC-MS (with appropriate dilution)

DETERMINATION OF PHTHALATES WITH GC-MS BY IEC 62321-8:2017

Sample Cutting / Preparation

Sample Measurement

Solvent Extraction

Concentrate / Dilute extracted solution

GC-MS analysis

DATA

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 10 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sqs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE: 25-August-2023

MICROWAVE ASSISTED ACID DIGESTION OF

SILICEOUS AND ORGANICALLY BASED METRICES **BY US EPA 3052** Sample Preparation Weight sample (0.2-0.5g) into digestion vessel Acid digestion "Totally Dissolved" Filtration Analyses by ICP

PVC DETECTION WITH FTIR

Sample preparation (apply ATR for analysis)

FT-IR Scanning

Report

DETERMINATION OF HALOGEN CONTENT

Sample pre-treatment

Weighting and putting sample in cell

Combustion / Absorption

Dilution to fixed volume

Analyses by IC

SIGNED FOR AND ON BEHALF OF

SGS (MALAYSIA) SDN BHD SGS 10B71-T TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

Page 11 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sns.com/en/terms-and-conditions and, for electronic Documents at https://www.sns.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exert a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/230818350-CB28933 Job Ref. C&P/2023-08-09-013

REPORTED DATE:

25-August-2023

DETERMINATION OF DIMETHYL FUMARATE

Sample pre-treatment / separation Sample extraction by organic solvent Concentrate / Dilute extracted solution Analysis performed by GC/MS Data

DETERMINATION OF PFOS AND PFOA CONTENTS

Sample pre-treatment / separation

Solvent extraction

Concentrate / Dilute extracted solution

Sample filtration

Analysis performed by LC/MS

Data

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-T TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 6.0, Effective Date: 07/07/2021

*** End of test report ***

Page 12 of 12

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/terms-and-conditions/terms-and-condi