

<u>Information of substances</u>

We hereby confirm that the following substances are not used intentionally as ingredient(s) for the following product.

The analysis results of one optional lot are attached.

1. Product: KMC-3580P-14F

2. Substance: Attached

Takayuki Aoki

Managing Director

Shin-Etsu Electronics (Malaysia) Sdn. Bhd.



Environmental Hazardous Substances

	Threshold Limit (ppm)			
Heavy metals	Cadmium and its compounds	100		
	Lead and its compounds	1000		
	Mercury and its compounds	1000		
	Hexavalent chromium compounds	1000		
Brominated organic	Polybrominated biphenyls(PBB)	1000		
compounds				
Bis (2-ethylhexyl) ph	1000			
Butyl benzyl phthalate (BBP)		1000		
Dibutyl phthalate (D	1000			
Diisobutyl phthalate	(DIBP)	1000		
Hexabromocyclodode	cane (HBCDD)			
Perfluorooctane sulfo	nates (PFOS)			
Perfluorooctanoic Aci	d (PFOA)			
Halogen and its comp	oounds (F, Cl, Br, I except for above mentione	ed)		
Antimony and its con	npounds			



SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : KMC-3580P-14F

JOB REF. : C&P/2024-04-04-018

SAMPLE RECEIVED : 04 Apr 2024

TESTING PERIOD : 04 Apr 2024 to 08 Apr 2024

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : - PLEASE REFER TO NEXT PAGE(S)
TEST RESULTS : - PLEASE REFER TO NEXT PAGE(S) -

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver; 2.0, Effective Date; 15/03/2021

Page 1 of 5



TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.	N.D.	2	Max 100
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.	N.D.	2	Max 1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.	N.D.	2	Max 1000
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321-7-2:2017, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.	N.D.	8	Max 1000
Sum of PBBs	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	-	Max 1000
Monobromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Dibromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tribromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Pentabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Hexabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Octabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHOLL

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver. 2.0, Effective Date: 15/03/2021

Page 2 of 5



TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Sum of PBDEs	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	-	Max 1000
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.	N.D.	5	-

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) IEC 62321 series is equivalent to EN 62321 series

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHOLL

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver: 2.0, Effective Date: 15/03/2021

Page 3 of 5



Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

SHIN-ETSU ELECTRONICS (M) SDN BHD CB48769 SUMPLE MANIE: WALL-25E8P-14P TEST: BORST, PORST, ARAGING, SV. BE, HOCOD, 1PTOS (PPA, ATSOLC, REd RESPIAN) FROM STEIN-ETAL ELECTRONICS (N) 50N-8-HD. DATE: 1/8 /2014

SGS authenticate the photo on original report only

OS DE O1 D3 D9 DY D8 D6 D01 D1 DS DE D1 D9 D9 D7 D8 D6 D02 D1 DS DE D1 D2

IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver: 2.0, Effective Date: 15/03/2021

Page 4 of 5

REPORTED DATE: 12 Apr 2024



No. CPSA/240432984-CB48769 **TEST REPORT:**

2. DETERMINATION OF LEAD CONTENT BY IEC 62321-52013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321-52013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321-4 2013/AMD 1 2017

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.1-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4a. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-2 2017 (Other Materials).

Sample Preparation

Digestionat 150~160°C

Separating to Obtain Aqueous Phase

pH Adjustment

Add Diphenyl-Carbazide for Color Development

Analyses by UV-Spectrophotometer (540 nm)

4b. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-22017 (Soluble Polymers)

Sample Preparation

Add Digestion Solution

Ultrasonicate Sample

pH Adjustment

Add Diphenyl-Carbazide for Colour Development

Analyses by UV-Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321-62015

Sample Preparation

Weigh sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF

SGS (MALAYSIA) SDN BHD TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

*** End of test report ***

Page 5 of 5



SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : KMC-3580P-14F

JOB REF. : C&P/2024-04-04-018

SAMPLE RECEIVED : 04 Apr 2024

TESTING PERIOD : 04 Apr 2024 to 08 Apr 2024

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : - PLEASE REFER TO NEXT PAGE(S)
TEST RESULTS : - PLEASE REFER TO NEXT PAGE(S) -

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver: 2.0, Effective Date: 15/03/2021

Page 1 of 4



TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Dibutyl phthalate (DBP) (CAS No. 84-74-2)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Di(2-ethylhexyl) phthalate (DEHP) (CAS No. 117-81-7)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Benzyl butyl phthalate (BBP) (CAS No. 85-68-7)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000
Diisobutyl phthalate (DIBP) (CAS No. 84-69-5)	mg/kg	With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.	N.D.	50	Max 1000

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) IEC 62321 series is equivalent to EN 62321 series

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHOLL

TAY SIAM PINE TECHNICAL MANAGER

IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver: 2.0, Effective Date: 15/03/2021

Page 2 of 4



Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

SGS authenticate the photo on original report only

IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver: 2.0, Effective Date: 15/03/2021

Page 3 of 4

REPORTED DATE: 12 Apr 2024



TEST REPORT:

No. CPSA/240432985-CB48770

DETERMINATION OF PHTHALATES WITH GC-MS BY IEC 62321-8:2017 Sample Cutting / Preparation ✓ Sample Measurement ✓ Solvent Extraction ✓ Concentrate / Dilute extracted solution

DATA

GC-MS analysis

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHO

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/001, Ver. 2.0, Effective Date: 15/03/2021

*** End of test report ***

Page 4 of 4



TEST REPORT: No. CPSA/240400000-CB48774 **REPORTED DATE**: 12 Apr 2024

SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : KMC-3580P-14F

JOB REF. : C&P/2024-04-04-018

SAMPLE RECEIVED : 04 Apr 2024

TESTING PERIOD : 04 Apr 2024 to 08 Apr 2024

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : -PLEASE REFER TO NEXT PAGE(S)TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

Page 1 of 4



TEST REPORT: No. CPSA/240400000-CB48774 **REPORTED DATE**: 12 Apr 2024

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

Optional: RoHS Directive 2011/65/EU, priority substances

Test Parameter(s):	Unit	Test Method	Result	MDL
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6(134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	In-house method, SGS-TM-RSTS-O-012, with reference to IEC 62321-6:2015. Analysis was performed by GCMS	N.D.	5

Note: (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

(b) N.D. = Not Detected

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

Page 2 of 4



TEST REPORT: No. CPSA/240400000-CB48774 **REPORTED DATE**: 12 Apr 2024

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD SIA SGS SGS SGS TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

Page 3 of 4

REPORTED DATE: 12 Apr 2024



TEST REPORT:

No. CPSA/240400000-CB48774

DETERMINATION OF HBCDD CONTENT

Sample preparation

Weigh sample (0.5 – 4.0g) into extraction thimble

Solvent extraction with Toluene

Filter through 0.45 µm membrane filter

Analysis by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHB

TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

TAY SIAM PINE

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

*** End of test report ***

Page 4 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/en/terms-and-conditions/terms-end-condi

10871-



Job Ref. C&P/2024-04-04-018

SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

Sample Description KMC-3580P-14F

04-April-2024 Sample Received

04-April-2024 to 09-April-2024 **Testing Period**

Test Requested Selected test(s) as requested by customer

Test Method -PLEASE REFER TO NEXT PAGE(S)-

Test Result -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/004, Ver: 1.0, Effective Date: 04/02/2021

Page 1 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/terms-and-conditions/terms shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.

SGS 10871-T



Job Ref. C&P/2024-04-04-018

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

Test Method: With reference to CEN/TS 15968:2010. Analysis was performed by LC-MS

Test Parameter(s):	Result (%)	Max. Limit (µg/m²) (Textile/Coated material)	Max.Limit(%) (Plastic)	Max. Limit(%) (Substances/ in mixtures)
Perfluorooctanesulfonic acid (PFOS)	N.D.	1	0.1	0.001
Perfluorooctanoic acid (PFOA) (CAS No. 335-67-1)	N.D.	1	1	1
Conclusion	PASS			

Note: (a) N.D. = Not Detected (b) * = exceeds the limit

> (c) Detection limit = 1 µg/m² for Textile / Coated Material

> > = 0.001% for Plastic, substances or mixtures

(d) Recommended requirement with reference to Commission Regulation (EU) 2019/1021 on Persistent Organic Pollutant.

(e) PFOS refers to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid. Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/004, Ver: 1.0, Effective Date: 04/02/2021

10871-

Page 2 of 4



Job Ref. C&P/2024-04-04-018

Test Part Description:

Sample Description : -PLEASE REFER TO PAGE 1-

SHIN-ETSU ELECTRONICS (M) SDN BHD



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/004, Ver: 1.0, Effective Date: 04/02/2021

SGS

Page 3 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/terms-end-conditions/terms




TEST REPORT

No. CPSA/240432988-CB48776 Job Ref. C&P/2024-04-04-018

REPORTED DATE: 12-April-2024

Analytical flow chart of PFOS and PFOA



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

'10871-T TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/004, Ver: 1.0, Effective Date: 04/02/2021

SGS

*** End of test report ***

Page 4 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/terms-and-conditions/terms-and-condi shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



Job Ref. C&P/2024-04-04-018

SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

Sample Description : KMC-3580P-14F Sample Received : 04-April-2024

Testing Period : 04-April-2024 to 07-April-2024

Test Requested : Selected test(s) as requested by customer

Test Method : -PLEASE REFER TO NEXT PAGE(S)Test Results : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

Page 1 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sas.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sas.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction formation of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



TEST REPORT No. CPSA/240432986-CB48771 REPORTED DATE: 12-April-2024

Job Ref. C&P/2024-04-04-018

Test results by chemical method:

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content.	N.D.	50
Halogen-Iodine (I)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Jodine content.	N.D.	50

Note: (a) mg/kg = ppm (b) N.D. = Not Detected

(c) MDL = Method Detection Limit

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-TAY SIAM PINE TECHNICAL MANAGER IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

Page 2 of 4



TEST REPORT


No. CPSA/240432986-CB48771 Job Ref. C&P/2024-04-04-018

REPORTED DATE: 12-April-2024

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

SHIN-ETSU ELECTRONICS (M) SDN BHD CB48771



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021


Page 3 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sas.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sas.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction formation of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



TEST REPORT

No. CPSA/240432986-CB48771 Job Ref. C&P/2024-04-04-018 REPORTED DATE: 12-April-2024



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

*** End of test report ***

Page 4 of 4



TEST REPORT: No. CPSA/240400000-CB48772 **REPORTED DATE**: 12 Apr 2024

SHIN-ETSU ELECTRONICS (M) SDN BHD

LOT 50, JALAN SERENDAH 26/17, HICOM INDUSTRIAL ESTATE, 40400 SHAH ALAM, SELANGOR

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : KMC-3580P-14F

JOB REF. : C&P/2024-04-04-018

SAMPLE RECEIVED : 04 Apr 2024

TESTING PERIOD : 04 Apr 2024 to 08 Apr 2024

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : -PLEASE REFER TO NEXT PAGE(S)TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013. Ver: 6.0. Effective Date: 07/07/2021

Page 1 of 4



No. CPSA/240400000-CB48772 **TEST REPORT:** REPORTED DATE: 12 Apr 2024

TEST RESULTS: Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Antimony (Sb)	mg/kg	With reference to EPA Method 3052, and performed by ICP-OES.	N.D.	2

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) Negative = Undetectable / Positive = Detectable

SGS (MALAYSIA) SDN BHD

SIGNED FOR AND ON BEHALF OF

TECHNICAL MANAGER IKM No. M/3452/6047/11/12

TAY SIAM PINE

Test Report Form No.: SGS/TR/CP/013. Ver: 6.0. Effective Date: 07/07/2021

Page 2 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/en/terms-and-conditions/en-ms

10871-



TEST REPORT: No. CPSA/240400000-CB48772 **REPORTED DATE**: 12 Apr 2024

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD SIA SGS (MALAYSIA) SDN BHD SIA SGS (MALAYSIA) SGS (MALAYSIA)

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021


Page 3 of 4

REPORTED DATE: 12 Apr 2024



TEST REPORT:

No. CPSA/240400000-CB48772



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 6.0, Effective Date: 07/07/2021

*** End of test report ***

Page 4 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/en/terms-and-conditions/terms-end-condi