

No.: ETR23504720

Date: 05-Jun-2023

Page: 1 of 19

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

: MK ELECTRON CO., LTD.

Sample Name

GOLD WIRE

Style/Item No.

: 4N

Sample Receiving Date

26-May-2023

Testing Period

26-May-2023 to 02-Jun-2023

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results

:

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chand / Department Malager
Signed for and on behalf of AWAN LTD.
Chemical Laboratory - Taipei



No.: ETR23504720

Date: 05-Jun-2023

Page: 2 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Part Description

No.1

GOLDEN COLORED METAL WIRE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1]
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.	-
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	1
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	_	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indeminication and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



No.: ETR23504720

Date: 05-Jun-2023

Page: 3 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	_
	analysis was performed by GC/MS.				
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.				
Short Chain Chlorinated	With reference to ISO 18219-1: 2021,	mg/kg	50	n.d.	-
Paraffins(C10-C13) (SCCP) (CAS No.:	analysis was performed by GC/MS.				
85535-84-8)					
Tributyl tin (TBT)		mg/kg	0.03	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)		mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS	Calculated from the result of Tributyl	mg/kg	0.03 ▲	n.d.	-
No.: 56-35-9)	Tin (TBT).				
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	5.95	-
	analysis was performed by ICP-OES.				
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
PFOS and its salts (CAS No.: 1763-		mg/kg	0.01	n.d.	-
23-1 and its salts)	With reference to CEN/TS 15968: 2010,			<u> </u>	
PFOA and its salts (CAS No.: 335-67-	analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1 and its salts)			- And	l	
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021,	**	-	Negative	-
	analysis was performed by FT-IR and				
	Flame Test.				



No.: ETR23504720

Date: 05-Jun-2023

Page: 4 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
	analysis was performed by GC/MS.				
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
	analysis was performed by GC/MS.				
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
No.: 26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 117-84-0)	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
	analysis was performed by GC/MS.				
Di-n-hexyl phthalate (DNHP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
No.: 84-75-3)	analysis was performed by GC/MS.				
Bis(2-methoxyethyl) phthalate	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(DMEP) (CAS No.: 117-82-8)	analysis was performed by GC/MS.				
1,2-Benzenedicarboxylic acid, di-C7-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
11-branched and linear alkyl esters	analysis was performed by GC/MS.				
(DHNUP) (CAS No.: 68515-42-4)					
1,2-Benzenedicarboxylic acid, di-C6-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
8-branched alkyl esters, C7-rich	analysis was performed by GC/MS.				1
(DIHP) (CAS No.: 71888-89-6)	•	ĺ			
Di-n-pentyl phthalate (DNPP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
No.: 131-18-0)	analysis was performed by GC/MS.				ł
Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.	-
and all major diastereoisomers	analysis was performed by GC/MS.				
identified (α- HBCDD, β- HBCDD, γ-					
HBCDD) (CAS No.: 25637-99-4,					
3194-55-6 (134237-51-7, 134237-					
50-6, 134237-52-8))					j
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



No.: ETR23504720

Date: 05-Jun-2023

Page: 5 of 19

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Medium Chain Chlorinated Paraffins(C14-C17) (MCCP) (CAS No.: 85535-85-9)	With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Sulfur hexafluoride (CAS No.: 2551-62-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
·	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Red Phosphorus	Analysis was performed by Pyrolyzer- GC/MS.	**	_	Negative	: -

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

8. PFOA and its salts including:

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

- 9. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating
 - c. The result between $0.10 \, \mu g/cm^2$ and $0.13 \, \mu g/cm^2$ is considered to be inconclusive unavoidable coating variations may influence the determination.
- 10. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyItin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

11. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



No.: ETR23504720

Date: 05-Jun-2023


Page: 6 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)





No.: ETR23504720

Date: 05-Jun-2023

Page: 7 of 19


MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - PBBs / PBDEs

First testing process

Optional screen process

Confirmation process





No.: ETR23504720


Date: 05-Jun-2023

Page: 8 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






No.: ETR23504720

Date: 05-Jun-2023

Page: 9 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Organic-Tin






No.: ETR23504720

Date: 05-Jun-2023

Page: 10 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Halogen





No.: ETR23504720

Date: 05-Jun-2023


Page: 11 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】






No.: ETR23504720

Date: 05-Jun-2023

Page: 12 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






No.: ETR23504720

Date: 05-Jun-2023

Page: 13 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analysis flow chart - PVC





No.: ETR23504720


Date: 05-Jun-2023

Page: 14 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23504720

Date: 05-Jun-2023

Page: 15 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - HBCDD





No.: ETR23504720


Date: 05-Jun-2023

Page: 16 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】





No.: ETR23504720


Date: 05-Jun-2023

Page: 17 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Flow chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Added appropriate reagent to total digestion




No.: ETR23504720

Date: 05-Jun-2023

Page: 18 of 19

MK ELECTRON CO., LTD. 405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Red phosphorus





No.: ETR23504720


Date: 05-Jun-2023

Page: 19 of 19

MK ELECTRON CO., LTD.
405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23504720



** End of Report **