

(시 험 성 적 서)

신청기관 (인) : HLB이노베이션
APPLICANT : HLB innoVation Co.,Ltd.

주소 (한글) : 경기도 화성시 향남읍 발안공단로4길 16 ADDRESS (ENGL.) : 16, Barangongdan-ro 4-gil, Hyangnam-eup,

Hwaseong-si, Gyeonggi-do, Korea

발행면수 (PAGE): 1 of 10

시험성적서 번호 (REPORT NO.):RT24R-S2664-K-R 발행일자 (DATE): 2024. 05. 08.

시료 명세 :시료에 대한 상세한 정보는 아래와 같음 (SAMPLE DESCRIPTION) (The following submitted sample(s) said to be)

제품명/형식 : Cu Alloy PMC90+Ag Plating (NAME/TYPE OF PRODUCT) (Cu Alloy PMC90+Ag Plating)

지료고유번호 : RT24R-S2664 (SAMPLE ID NO.) (RT24R-S2664) 제품 생산자/공급자 : HLB이노베이션

(MANUFACTURER/VENDOR) (HLB innoVation Co.,Ltd.)

시료접수일자 : 2024. 04. 11. (SAMPLE RECEIVED) (Apr. 11, 2024)

시험일자 : 2024. 04. 11. ~ 2024. 05. 03. (TESTING DATE) : (Apr. 11, 2024 ~ May 03, 2024)

시험방법 : 이 시험성적서의 다음 페이지 첨부

(TEST METHOD) (Please see the following page)

시험결과 : 이 시험성적서의 다음 페이지 첨부

(TEST RESULT) (Please see the following page)

비고 (Notes): 1. 이 시험성적서는 제시된 시료 및 시료명으로 시험한 결과로서 유사 대상시료에 적용할 수 없음.

(The test results presented in this report refer only to the object tested.)

2. 이 시험성적서는 승인없이 복사 사용을 금함.

(This report shall not be reproduced except in full without the written approval of the testing laboratory.)

승인자 (Approved by)

권한자 (Authorized by)

장준용/기술책임자

(Jade Jang / Lab. Technical Manager)

2688

박병옥/소장

(Bo Park / Lab. General Manager)





(시 험 성 적 서)

발행면수 (PAGE): 2 of 10 발행일자 (DATE): 2024.05.08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

: Cu Alloy PMC90+Ag Plating (Cu Alloy PMC90+Ag Plating)

시험항목	단위	분석방법	검출한계	시험결과
(TEST ITEM)	(UNIT)	(TEST METHOD)	(MDL)	(RESULT)
카드뮴 (Cadmium, Cd)	mg/kg With reference to IEC 62321-5 Edition 1.0 : 2013, by acid digestion and determined by ICP-OES		0.5	N.D.
납 (Lead, Pb)			5	N.D.
수은 (Mercury, Hg)	mg/kg	With reference to IEC 62321-4 : 2013/AMD1 : 2017, by acid digestion and determined by ICP-OES	2	N.D.
6가 크롬 (Hexavalent Chromium, Cr ⁶⁺) (For metal)	μg/cm²	With reference to IEC 62321-7-1 Edition 1.0 : 2015, by boiling water extraction and determined by UV-VIS Spectrophotometer	0.10	Negative

Tested by : Jooyeon Lee, Chano Kim

Notes: mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

 μ g/cm² = microgram per square centimeter

<= Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 - 검출한계 이하)

MDL = Method detection limit (검출한계)

Remarks: Interpretation of Cr6+ results

Qualitative result	Concentration of Cr ⁶⁺ (μg/ເm³)	Meaning
Negative	< 0.10	The sample coating is considered a non-Cr ⁶⁺ based coating.
Inconclusive	0.10 ≤ and ≤ 0.13	Unavoidable coating variation may influence the determination.
Positive	> 0.13	The sample coating is considered to contain Cr ⁶⁺ .

- 1. The qualitative results should be determination by the average result of three test results. (If concentration of Cr^{6+} is over $0.10\mu g/cm^2$)
- 2. The above results will be carried out by visual comparison only with the standard.





(시 험 성 적 서)

발행면수 (PAGE): 3 of 10

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R 발행일자 (DATE): 2024. 05. 08.

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating (Cu Alloy PMC90+Ag Plating)

(Cu Alloy Pivic30+Ag Plating)					
시험항목	단위	분석방법	검출한계	시험결과	
(TEST ITEM)	(UNIT)	(TEST METHOD)	(MDL)	(RESULT)	
폴리브롬화비페닐 (Polybrominated Biphenyls, PBBs)					
모노브로모비페닐 (MonoBB)	mg/kg		5	N.D.	
다이브로모비페닐 (DiBB)	mg/kg		5	N.D.	
트라이브로모비페닐 (TriBB)	mg/kg		5	N.D.	
테트라브로모비페닐 (TertaBB)	mg/kg	With reference to	5	N.D.	
펜타브로모비페닐 (PentaBB)	mg/kg	IEC 62321-6 Edition 1.0 : 2015,	5	N.D.	
헥사브로모비페닐 (HexaBB)	mg/kg	by solvent extraction and	5	N.D.	
헵타브로모비페닐 (HeptaBB)	mg/kg	determined by GC/MS	5	N.D.	
옥타브로모비페닐 (OctaBB)	mg/kg		5	N.D.	
노나브로모비페닐 (NonaBB)	mg/kg		5	N.D.	
데카브로모비페닐 (DecaBB)	mg/kg		5	N.D.	
폴리브롬화디페닐에테르 (Polybrominated	Diphenyl Ether	rs, PBDEs)			
모노브로모디페닐에테르 (MonoBDE)	mg/kg		5	N.D.	
다이브로모디페닐에테르 (DiBDE)	mg/kg		5	N.D.	
트라이브로모디페닐에테르 (TriBDE)	mg/kg		5	N.D.	
테트라브로모디페닐에테르 (TetraBDE)	mg/kg	With reference to	5	N.D.	
펜타브로모디페닐에테르 (PentaBDE)	mg/kg	IEC 62321-6 Edition 1.0 : 2015, by solvent extraction and	5	N.D.	
헥사브로모디페닐에테르 (HexaBDE)	mg/kg		5	N.D.	
헵타브로모디페닐에테르 (HeptaBDE)	mg/kg	determined by GC/MS 5		N.D.	
옥타브로모디페닐에테르 (OctaBDE)	mg/kg			N.D.	
노나브로모디페닐에테르 (NonaBDE)	mg/kg		5	N.D.	
데카브로모디페닐에테르 (DecaBDE)	mg/kg		5	N.D.	

Tested by : Hayan Park

Notes: mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

<= Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 - 검출한계 이하)

MDL = Method detection limit (검출한계)





(시 험 성 적 서)

발행면수 (PAGE):4 of 10

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R 발행일자 (DATE): 2024. 05. 08.

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating (Cu Alloy PMC90+Ag Plating)

(50,110) (11055.116)				
시험항목	단위	분석방법	검출한계	시험결과
(TEST ITEM)	(UNIT)	(TEST METHOD)	(MDL)	(RESULT)
브롬 (Bromine, Br)	mg/kg	With reference to EN 14582, by oxygen combustion with bomb and determined by IC	30	N.D.
염소 (Chlorine, Cl)	mg/kg	With reference to EN 14582, by oxygen combustion with bomb and determined by IC	30	N.D.
베릴륨 (Beryllium, Be)	mg/kg	With reference to US EPA 3052, by acid digestion and determined by ICP-OES	2	N.D.
안티몬 (Antimony, Sb)	mg/kg	With reference to US EPA 3052, by acid digestion and determined by ICP-OES	2	N.D.
퍼플루오로옥타노익에시드 (Perfluorooctanoic acid, PFOA)	mg/kg	With reference to US EPA 3550C/8321B, by ultrasonic extraction and determined by LC/MS or LC/MS/MS	0.025	N.D.
퍼플루오로옥탄설포네이트 (Perfluorooctane sulfonate, PFOS)	mg/kg	With reference to US EPA 3550C/8321B, by ultrasonic extraction and determined by LC/MS or LC/MS/MS	0.1	N.D.

Tested by: Chano Kim, Jooyeon Lee, Hayan Park

Notes: mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

<= Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 – 검출한계 이하)

MDL = Method detection limit (검출한계)





(시 험 성 적 서)

발행면수 (PAGE): 5 of 10 발행일자 (DATE): 2024. 05. 08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R 시료고유번호 (SAMPLE ID NO.): RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)

(00,100) 111000 118 1000 8					
시험항목	CAS번호	단위	분석방법	검출한계	시험결과
(TEST ITEM)	(CAS NO.)	(UNIT)	(TEST METHOD)	(MDL)	(RESULT)
디부틸프탈레이트 (Dibutyl phthalate, DBP)	84-74-2	mg/kg		50	N.D.
디에틸헥실프탈레이트 (Di-(2-ethylhexyl) phthalate, DEHP)	117-81-7	mg/kg	With reference to IEC 62321-8 Edition 1.0 : 2017,	50	N.D.
벤질부틸프탈레이트 (Benzyl butyl phthalate, BBP)	85-68-7	mg/kg	by solvent extraction and determined by GC/MS	50	N.D.
디이소부틸프탈레이트 (Diisobutyl phthalate, DIBP)	84-69-5	mg/kg		50	N.D.

Tested by : Hayan Park


Notes: mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

<= Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 - 검출한계 이하)

MDL = Method detection limit (검출한계)

* 시료 접수 시 시료 상태 : (View of sample as received)







(시 험 성 적 서)


발행면수 (PAGE): 6 of 10

발행일자 (DATE) : 2024. 05. 08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R 시료고유번호 (SAMPLE ID NO.): RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)



Remarks : *1 : List of appropriate acid :

. LISCOI O	appropriate acid.	
	Material	Acid added for digestion
	Polymers	HNO₃, HCl, HF, H₂O₂, H3BO₃
	Metals	HNO₃, HCI, HF
	Electronics	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄

*2 : The samples were dissolved totally by pre-conditioning method according to above flow chart.





(시 험 성 적 서)


발행면수 (PAGE): 7 of 10 발행일자 (DATE): 2024. 05. 08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R 시료고유번호 (SAMPLE ID NO.): RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)

Flow Chart (EN14582)








(시 험 성 적 서)

발행면수 (PAGE): 8 of 10 발행일자 (DATE): 2024. 05. 08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664 시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)



** 비고 : 이 샘플은 위의 흐름도에 따른 전처리 방법에 의해 완전용해 되었음. (The samples were dissolved totally by pre-conditioning method according to above flow chart.)





(시 험 성 적 서)

발행면수 (PAGE): 9 of 10 발행일자 (DATE): 2024. 05. 08.


시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664

시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)

Flow Chart (PFOS, PFOA)







(시 험 성 적 서)


발행면수 (PAGE): 10 of 10 발행일자 (DATE): 2024.05.08.

시험성적서 번호 (REPORT NO.): RT24R-S2664-K-R

시료고유번호 (SAMPLE ID NO.) : RT24R-S2664 시료명 (SAMPLE DESCRIPTION) : Cu Alloy PMC90+Ag Plating

(Cu Alloy PMC90+Ag Plating)

Flow Chart (Phthalates)



***** End of Report *****

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

This report is not related to the scope of Korea Laboratory Accreditation Scheme.



Seoul Office: Tel: 02-6090-9500 Fax: 02-3409-0025 Web Site: intertek.co.kr Seoul Lab. Address: 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea

