

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 1 of 70

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

樣品名稱(Sample Name)

DIODES

樣品型號(Style/Item No.)

DICE-LOW VOLTAGE

收件日(Sample Receiving Date)

12-Jun-2023

測試期間(Testing Period)

12-Jun-2023 to 28-Jun-2023

測試需求(Test Requested)

- (1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s),)
- (2) 依據客戶要求·評估所選樣品中特定PFAS的風險。被評估的PFAS總項目數量為185項·包括80項檢測項和105項列表項 (see PFAS Remark)。 (As requested by the client, the risk of specific PFAS in the selected sample is evaluated. The total amounts of evaluated PFAS are 185 items, concluding 80 tested items and 105 listed items (see PFAS Remark).)
- (3) 依據客戶要求,參考美國毒管法(TSCA) 第 6(h) 章節,進行5項持久性生物累積毒性物質 (PBTs) 測試,測試項目請參閱測試結果表格。 (As specified by client, the sample(s) was/were tested for 5 PBTs with reference to Regulation of Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h). Please refer to result table for testing item(s).)
- (4) 依據客戶指定,測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following

結 論(Conclusion)

請參閱下一頁 (Please refer to following

Troy Chand / Department Malad Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of its inability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 2 of 70

結 論(Conclusion)

- (1) 根據客戶所提供的樣品·其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (3) 根據客戶所提供的樣品,其測試結果符合美國毒管法(TSCA) 第 6(h) 章節,持久性生物累積毒性物質 (PBTs)之限值要求。 (Based on the performed tests on submitted sample(s), the test result(s) comply with the limits as set by Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h).)

測試部位敘述 (Test Part Description)

Vo.1

DICE-LOW VOLTAGE

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013 · 以感應耦合電漿	mg/kg	2	n.d.	100
	】發射光譜儀分析。(With reference to IEC				
鉛 (Pb) (Lead (Pb))	62321-5: 2013, analysis was performed	mg/kg	2	n.d.	1000
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017 ·	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI))	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was			1	
	performed by UV-VIS.)			Ī	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 3 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
	·			No.1	
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)	**	mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	_
十溴聯苯 (Decabromobiphenyl)	参考IEC 62321-6: 2015,以氣相層析儀/質	mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)	譜儀分析。(With reference to IEC 62321-	mg/kg	-	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
多氯聯苯 (PCBs) (Polychlorinated		mg/kg	0.5	n.d.	-
biphenyls (PCBs))	參考US EPA 3550C: 2007,以氣相層析儀/				
多氯奈 (PCNs) (Polychlorinated	質譜儀分析。(With reference to US EPA	mg/kg	5	n.d.	-
naphthalene (PCNs))	3550C: 2007, analysis was performed by				
多氯三聯苯 (PCTs) (Polychlorinated	GC/MS.)	mg/kg	0.5	n.d.	_
terphenyls (PCTs))					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 4 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
短鏈氯化石蠟(C10-C13) (SCCP) (Short	參考ISO 18219-1: 2021‧以氣相層析儀/	mg/kg	50	n.d.	-
Chain Chlorinated Paraffins(C10-C13)	質譜儀分析。(With reference to ISO				
(SCCP)) (CAS No.: 85535-84-8)	18219-1: 2021, analysis was performed				
	by GC/MS.)				
甲醛 (Formaldehyde) (CAS No.: 50-00-	參考ISO 17226-1: 2021 · 以液相層析儀/	mg/kg	3	n.d.	-
0)	二極體陣列偵測器分析。(With reference				
	to ISO 17226-1: 2021, analysis was				
	performed by LC/DAD.)				
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021 · 以傅立葉轉換紅	**	-	Negative	-
	外線光譜儀及焰色法分析。(With				
	reference to ASTM E1252: 2021, analysis				
	was performed by FT-IR and Flame Test.)				
石綿 (Asbestos)					
陽起石綿 (Actinolite) (CAS No.: 77536-		-	-	Negative	-
66-4)	# +/FD4 COO/D OO /44 C 4 OOO \\ \\				
褐石綿/鐵石綿 (Amosite) (CAS No.:	參考EPA 600/R-93/116: 1993,以立體顯	-	-	Negative	-
12172-73-5)	微鏡(SM)與分散染色式偏光顯微鏡(DS-				1
斜方角閃石綿 (Anthophyllite) (CAS No.:	PLM)及X光繞射光譜分析法(XRD)分析。	_	-	Negative	-
77536-67-5)	(With reference to EPA 600/R-93/116:				
白石綿/溫石綿 (Chrysotile) (CAS No.:	1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining	-	-	Negative	-
12001-29-5)	Polarized Light Microscope (DS-PLM)				
青石綿 (Crocidolite) (CAS No.: 12001-	and X-ray Diffraction Spectrometer	_	-	Negative	-
28-4)	(XRD).)				
透閃石綿 (Tremolite) (CAS No.: 77536-	(//////////////////////////////////////	-	-	Negative	-
68-6)					
偶氮染料 (AZO Dyes)			34c23342043302		
4-氨基二苯 (4-aminodiphenyl) (CAS	參考EN ISO 14362-1: 2017 · 以氣相層析	mg/kg	3	n.d.	-
No.: 92-67-1)	質譜儀及高效液相層析儀/二極體陣列偵測				
聯苯胺 (Benzidine) (CAS No.: 92-87-5)	器分析。(With reference to EN ISO	mg/kg	3	n.d.	_
4-氯鄰甲苯胺 (4-chloro-o-toluidine)	14362-1: 2017, analysis was performed	mg/kg	3	n.d.	-
(CAS No.: 95-69-2)	by GC/MS and HPLC/DAD.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 5 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
	(,	(====,		No.1	(=,
2-萘胺 (2-naphthylamine) (CAS No.: 91-		mg/kg	3	n.d.	-
59-8)					
鄰-胺基偶氮甲苯 (o-aminoazotoluene)		mg/kg	3	n.d.	-
(CAS No.: 97-56-3)	<i>''</i>				
2-胺基-4-硝基甲苯 (5-nitro-o-toluidine)		mg/kg	3	n.d.	-
(CAS No.: 99-55-8)	-				
4-氯苯胺 (4-chloroaniline) (CAS No.: 106-47-8)		mg/kg	3	n.d.	-
100-47-8) 2,4-二氨基苯甲醚 (2,4-diaminoanisole)		mg/kg	3	n.d.	-
(CAS No.: 615-05-4)		ilig/kg	3	11.0.	-
4,4'-二胺基二苯甲烷 (4,4'-		mg/kg	3	n.d.	-
diaminodiphenylmethane (MDA)) (CAS					
No.: 101-77-9)					
3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine)		mg/kg	3	n.d.	-
(CAS No.: 91-94-1)					
3,3'-二甲氧基聯苯胺 (3,3'-	參考EN ISO 14362-1: 2017 · 以氣相層析	mg/kg	3	n.d.	-
dimethoxybenzidine) (CAS No.: 119-	質譜儀及高效液相層析儀/二極體陣列偵測				
90-4)	器分析。(With reference to EN ISO				
3,3'-二甲基聯苯胺 (3,3'-	14362-1: 2017, analysis was performed	mg/kg	3	n.d.	-
dimethylbenzidine) (CAS No.: 119-93-	by GC/MS and HPLC/DAD.)				
7)					
3,3'-二甲基-4,4'-二胺基二苯甲烷 (3,3'-		mg/kg	3	n.d.	
dimethyl-4,4'-					
diaminodiphenylmethane) (CAS No.:					
838-88-0)					
2-甲氧基-5-甲基苯胺 (2-methoxy-5-		mg/kg	3	n.d.	-
methylaniline) (CAS No.: 120-71-8)					
4,4'-亞甲雙(2-氯苯胺) (4,4'-methylene-		mg/kg	3	n.d.	-
bis-(2-chloroaniline)) (CAS No.: 101-14-					
4)					
4,4'-二胺基二苯醚 (4,4'-oxydianiline)		mg/kg	3	n.d.	-
(CAS No.: 101-80-4)					
4,4'-硫二苯胺 (4,4'-thiodianiline) (CAS		mg/kg	3	n.d.	-
No.: 139-65-1)					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 6 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰-甲苯胺 (o-toluidine) (CAS No.: 95-		mg/kg	3	n.d.	
53-4)	参考EN ISO 14362-1: 2017 · 以氣相層析				
2,4-甲苯二胺 (2,4-diaminotoluene) (CAS	質譜儀及高效液相層析儀/二極體陣列偵測	mg/kg	3	n.d.	-
No.: 95-80-7) 2,4,5-三甲苯胺 (2,4,5-trimethylaniline)	器分析。(With reference to EN ISO	ma/ka	3	n.d.	
(CAS No.: 137-17-7)	14362-1: 2017, analysis was performed	mg/kg	3	n.a.	-
郷-甲氧基苯胺 (o-anisidine) (CAS No.:	by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	_
90-04-0)		mg/kg		71.4.	
4-苯基偶氮基苯胺 (4-aminoazobenzene) (CAS No.: 60-09-3)	參考EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。 (With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-二甲基苯胺 (2,4-xylidine) (CAS No.: 95-68-1)	參考EN ISO 14362-1: 2017,以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測	mg/kg	3	n.d.	-
2,6-二甲基苯胺 (2,6-xylidine) (CAS No.: 87-62-7)	器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440- 41-7)	参考US EPA 3052: 1996·以感應耦合電漿 發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
氧化鈹 (BeO) (Beryllium oxide (BeO)) (CAS No.: 1304-56-9)	由鈹結果計算得之。(Calculated from the result of Beryllium.)	mg/kg	2▲	n.d.	-
二氯化鈷 (CoCl ₂) (Cobalt dichloride (CoCl ₂)) (CAS No.: 7646-79-9)	以感應耦合電漿發射光譜儀,離子層析儀分析;由氯、鈷的結果計算得之。(Analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine.)	mg/kg	50▲	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 7 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鈷 (Co) (Cobalt (Co)) (CAS No.: 7440- 48-4)	參考US EPA 3052: 1996.以感應耦合電漿 發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
富馬酸二甲酯 (DMFu) (Dimethyl fumarate (DMFu)) (CAS No.: 624-49-7)	參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
磷酸三(2-氯乙基)酯 (TCEP) (Tris(2-chloroethyl) phosphate (TCEP)) (CAS No.: 115-96-8)	參考US EPA 3550C: 2007,以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
磷酸三(1-氯-2-丙基)酯 (TCPP) (Tris(1-chloro-2-propyl) phosphate (TCPP)) (CAS No.: 13674-84-5)	參考US EPA 3550C: 2007.以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
磷酸三(1,3-二氯異丙基)酯 (Tris(1,3-dichloro-2-propyl) phosphate) (CASNo.: 13674-87-8)	參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321-9: 2021 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 9: 2021, analysis was performed by GC/MS.)	mg/kg	20	n.d.	-
過氯酸鹽 (Perchlorate) (CAS No.: 14797-73-0)	以離子層析儀分析。(Analysis was performed by IC.)	μg/g	0.006	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 8 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
		***************************************		No.1	
三丁基錫 (TBT) (Tributyl tin (TBT))	参考ISO 17353: 2004,以氣相層析儀/火	mg/kg	0.03	n.d.	_
三苯基錫 (TPT) (Triphenyl tin (TPT))	焰光度偵測器分析。(With reference to	mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))	ISO 17353: 2004, analysis was	mg/kg	0.03	n.d.	_
二辛基錫 (DOT) (Dioctyl tin (DOT))	performed by GC/FPD.)	mg/kg	0.03	n.d.	-
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	,	mg/kg	50	n.d.	1000
phthalate (DBP))					
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP))	參考IEC 62321-8: 2017‧以氣相層析儀/質				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	譜儀分析。(With reference to IEC 62321-	mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-	8: 2017, analysis was performed by				
0, 68515-48-0)	GC/MS.)				
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl		mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-					
0, 68515-49-1)	·				
鄉苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)					
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)					
氟氯碳化物 (Chlorofluorocarbons)				i	ĺ
(CFCs)					
CFC-13 (CAS No.: 75-72-9)		mg/kg	1	n.d.	-
CFC-111 (CAS No.: 354-56-3)	 参考US EPA 5021A: 2014 以氣相層析儀/	mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0)	参考US EPA 5021A. 2014 ・ 以紙相層が展り 質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
CFC-211 (CAS No.: 422-78-6)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)	GC/MS.)	mg/kg	1	n.d.	-
CFC-213 (CAS No.: 2354-06-5)	33,1113.	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 9 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
(rest terms)	(iviethod)	(Ollit)		No.1	(Lilling)
CFC-215 (CAS No.: 4259-43-2)		mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)		mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)	参考US EPA 5021A: 2014 · 以氣相層析儀/ m	mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
CFC-11 (CAS No.: 75-69-4)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
CFC-115 (CAS No.: 76-15-3)	GC/MS.)	mg/kg	1	n.d.	-
CFC-114 (CAS No.: 76-14-2)		mg/kg	1	n.d.	-
CFC-113 (CAS No.: 76-13-1)		mg/kg	1	n.d.	-
氟氯氫烷碳化物					
(Hydrochlorofluorocarbons) (HCFCs)			1		
HCFC-21 (CAS No.: 75-43-4)		mg/kg	11	n.d.	-
HCFC-22 (CAS No.: 75-45-6)		mg/kg	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)		mg/kg	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)		mg/kg	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)		mg/kg	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)		mg/kg	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)		mg/kg	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	 参考US EPA 5021A: 2014·以氣相層析儀/	mg/kg	1	n.d.	-
HCFC-132b (CAS No.: 1649-08-7)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HCFC-133a (CAS No.: 75-88-7)	5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)	GC/MS.)	mg/kg	1	n.d.	-
HCFC-221 (CAS No.: 422-26-4)	, ,	mg/kg	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)	•	mg/kg	1	n.d.	
HCFC-223 (CAS No.: 422-52-6)		mg/kg	1	n.d.	-
HCFC-224 (CAS No.: 422-54-8)		mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)		mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)		mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)		mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.kw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.kw/lerms-of-service. Attention is drawn to the limitation of liability, indemistication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 10 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
HCFC-232 (CAS No.: 460-89-9)		mg/kg	1	n.d.	_
HCFC-233 (CAS No.: 7125-84-0)		mg/kg	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)		mg/kg	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)		mg/kg	1	n.d.	_
HCFC-241 (CAS No.: 666-27-3)		mg/kg	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)		mg/kg	1	n.d.	-
HCFC-244		mg/kg	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	商老UC FDA FO21A, 2014 以与担席长序/	mg/kg	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)	参考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)	り うしょう は	mg/kg	1	n.d.	_
HCFC-262 (CAS No.: 421-02-03)	GC/MS.)	mg/kg	1	n.d.	_
HCFC-271 (CAS No.: 430-55-7)		mg/kg	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)		mg/kg	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)		mg/kg	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)		mg/kg	1	n.d.	-
HCFC-141		mg/kg	1	n.d.	-
HCFC-142		mg/kg	1	n.d.	-
HCFC-151		mg/kg	1	n.d.	-
HCFC-225		mg/kg	1	n.d.	-
海龍 (Halons)					
Halon-1211 (CAS No.: 353-59-3)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
海龍-2402 (Halon-2402) (CAS No.: 124-73-2)		mg/kg	1	n.d.	-
溴甲烷 (Methyl Bromide) (CAS No.: 74-83-9)	參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

曰期(Date): 28-Jun-2023

頁數(Page): 11 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	- MANAGEMENT - MAN
不完全鹵化氟溴化物					
(Hydrobromofluorocarbons) (HBFCs)		<u></u>			
HBFC-271B1 (C3H6FBr)		mg/kg	1	n.d.	_
HBFC-262B1 (C3H5F2Br)	_	mg/kg	1	n.d.	_
HBFC-261B2 (C3H5FBr2)		mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)		mg/kg	1	n.d.	-
HBFC-252B2 (C3H4F2Br2)		mg/kg	1	n.d.	-
HBFC-251B3 (C3H4FBr3)		mg/kg	1	n.d.	-
HBFC-244B1 (C3H3F4Br)		mg/kg	1	n.d.	
HBFC-243B2 (C3H3F3Br2)		mg/kg	1	n.d.	_
HBFC-242B3 (C3H3F2Br3)		mg/kg	1	n.d.	-
HBFC-241B4 (C3H3FBr4)		mg/kg	1	n.d.	-
HBFC-235B1 (C3H2F5Br)		mg/kg	1	n.d.	-
HBFC-234B2 (C3H2F4Br2)	₩ **/UC EDA E021 A 2014 \\ \(\text{\tint{\text{\tint{\text{\ti}\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex	mg/kg	1	n.d.	-
HBFC-233B3 (C3H2F3Br3)	参考US EPA 5021A: 2014,以氣相層析儀/ 質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
HBFC-232B4 (C3H2F2Br4)	見論儀が初っ (With reference to 0's EPA 5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HBFC-231B5 (C3H2FBr5)	GC/MS.)	mg/kg	1	n.d.	
HBFC-226B1 (C3HF6Br)	Joseph Maria	mg/kg	1	n.d.	-
HBFC-225B2 (C3HF5Br2)		mg/kg	1	n.d.	-
HBFC-224B3 (C3HF4Br3)		mg/kg	1	n.d.	_
HBFC-223B4 (C3HF3Br4)		mg/kg	1	n.d.	-
HBFC-222B5 (C3HF2Br5)		mg/kg	1	n.d.	~
HBFC-221B6 (C3HFBr6)	·	mg/kg	1	n.d.	_
HBFC-151B1 (C2H4FBr)		mg/kg	1	n.d.	
HBFC-142B1 (C2H3F2Br)	<u></u>	mg/kg	1	n.d.	-
HBFC-141B2 (C2H3FBr2)		mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)		mg/kg	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)		mg/kg	1	n.d.	-
HBFC-131B3 (C2H2FBr3)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 12 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
HBFC-124B1 (C2HF4Br)		mg/kg	1	n.d.	-
HBFC-123B2 (C2HF3Br2)		mg/kg	1	n.d.	-
HBFC-122B3 (C2HF2Br3)		mg/kg	1	n.d.	-
HBFC-121B4 (C2HFBr4)	參考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	_
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
4)	5021A: 2014, analysis was performed by				
HBFC-22B1 (CHF2Br) (CAS No.: 1511-	GC/MS.)	mg/kg	1	n.d.	_
62-2)					
HBFC-21B2 (CHFBr2) (CAS No.: 1868-		mg/kg	1	n.d.	-
53-7)					
氯碳氫化物 (Chlorinate hydrocarbon)	,				
(CHCs)					
1,1-二氯丙烯 (1,1-Dichloropropene)	·	mg/kg	1	n.d.	-
(CAS No.: 563-58-6)					
1,2-二氯乙烷 (1,2-Dichloroethane) (CAS		mg/kg	1	n.d.	-
No.: 107-06-2)					
2,2-二氯丙烷 (2,2-Dichloropropane)		mg/kg	1	n.d.	-
(CAS No.: 594-20-7)					
四氯甲烷 (四氯化碳) (Carbon		mg/kg	1	n.d.	-
tetrachloride) (CAS No.: 56-23-5)	参考US EPA 5021A; 2014,以氣相層析儀/				
氯甲烷 (Chloromethane) (CAS No.: 74-	質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
87-3)	5021A: 2014, analysis was performed by				
順-1,2-二氯乙烯 (cis-1,2-	GC/MS.)	mg/kg	1	n.d.	-
Dichloroethene) (CAS No.: 156-59-2)					
順-1,3-二氯丙烯 (cis-1,3-		mg/kg	1	n.d.	-
Dichloropropene) (CAS No.: 10061-01-		-			
5) 一年工一終 (U-)					
六氯丁二烯 (Hexachlorobutadiene) (CAS		mg/kg	1	n.d.	-
No.: 87-68-3)	·	(1			
反-1,2-二氯乙烯 (trans-1,2-		mg/kg	1	n.d.	-
Dichloroethene) (CAS No.: 156-60-5)					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 13 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
反-1,3-二氯丙烯 (trans-1,3- Dichloropropene) (CAS No.: 10061-02- 6)	n N	mg/kg	1	n.d.	-
二氯甲烷 (Dichloromethane, Methylene chloride) (CAS No.: 75-09-2)		mg/kg	1	n.d.	_
1,2-二氯丙烷 (1,2-Dichloropropane) (CAS No.: 78-87-5)		mg/kg	1	n.d.	-
1,1,1,2-四氯乙烷 (1,1,1,2- Tetrachloroethane) (CAS No.: 630-20- 6)		mg/kg	1	n.d.	-
1,1,1-三氯乙烷 (1,1,1-Trichloroethane) (CAS No.: 71-55-6)		mg/kg	. 1	n.d.	-
1,1,2-三氯乙烷 (1,1,2-Trichloroethane) (CAS No.: 79-00-5)		mg/kg	1	n.d.	-
1,1,2,2-四氯乙烷 (1,1,2,2- Tetrachloroethane) (CAS No.: 79-34-5)	參考US EPA 5021A: 2014,以氣相層析儀/ 質譜儀分析。(With reference to US EPA	mg/kg	1	n.d.	-
1,1-二氯乙烯 (1,1-Dichloroethylene) (CAS No.: 75-35-4)	5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1-二氯乙烷 (1,1-Dichloroethane) (CAS No.: 75-34-3)		mg/kg	1	n.d.	<u>.</u>
氯乙烷 (Chloroethane) (CAS No.: 75-00-3)		mg/kg	1	n.d.	
四氯乙烯 (Tetrachloroethene) (CAS No.: 127-18-4)		mg/kg	1	n.d.	-
三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)		mg/kg	1	n.d.	-
1,3-二氯丙烷 (1,3-Dichloropropane) (CAS No.: 142-28-9)		mg/kg	1	n.d.	-
氯仿 (Chloroform) (CAS No.: 67-66-3)		mg/kg	1	n.d.	-
1,2,3-三氯丙烷 (1,2,3-Trichloropropane) (CAS No.: 96-18-4)		mg/kg	1	n.d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 14 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
氫氟碳化合物 (Hydrofluorocarbon) (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)		mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)		mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)		mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)		mg/kg	1	n.d.	-
HFC-125 (C2HF5)		mg/kg	1	n.d.	-
HFC-134 (C2H2F4)		mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811- 97-2)		mg/kg	1	n.d.	-
HFC-143 (CH3F3)	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
HFC-143a (CH3F3)	質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by	mg/kg	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	GC/MS.)	mg/kg	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89- 0)	SC/WS.)	mg/kg	1	n.d.	-
HFC-236fa (CAS No.: 431-63-0)		mg/kg	1	n.d.	-
HFC-245ca (C3H3F5)		mg/kg	1	n.d.	_
HFC-245fa (C3H3F5)		mg/kg	1	n.d.	-
HFC-365mfc (C4H5F5)		mg/kg	1	n.d.	_
HFC-236ea (C3H2F6) (CAS No.: 431-63- 0)		mg/kg	1	n.d.	-
全氟化碳 (Perfluorocarbon) (PFCs)					
1,4-二氫八氟丁烷 (1,4- dihydrooctafluorobutane) (CAS No.: 377-36-6)	参考US EPA 5021A; 2014·以氣相層析儀/	mg/kg	1	n.d.	-
2-全氟甲基戊烷 (2- Perfluoromethylpentane) (CAS No.: 355-04-4)	質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
十氟丁烷 (Decafluorobutane) (CAS No.: 355-25-9)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnitication and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 15 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
四氟甲烷 (F14) (CAS No.: 75-73-0)		mg/kg	1	n.d.	-
六氟乙烷 (Fluorocarbon 116) (CAS No.:	i.	mg/kg	1	n.d.	-
76-16-4)	\mathbb{R}_{-I}				
八氟丙烷 (Freon 218) (CAS No.: 76-19-		mg/kg	1	n.d.	-
7)					
八氟環丁烷 (Freon C318) (CAS No.: 115-		mg/kg	1	n.d.	-
25-3)					
2-全氟甲基丁烷 (Nonafluor-2-	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
(trifluoromethyl)butane) (CAS No.: 594-	質譜儀分析。(With reference to US EPA				
91-2)	5021A: 2014, analysis was performed by				
全氟異丁烯 (Perfluorisobutene) (CAS	GC/MS.)	mg/kg	1	n.d.	-
No.: 382-21-8)					
全氟己烷 (Perfluorohexane) (CAS No.:		mg/kg	1	n.d.	-
355-42-0)					
全氟戊烷 (Perfluoro-n-pentane) (CAS		mg/kg	1	n.d.	-
No.: 678-26-2)					
全氟-1-丁烯 (Perfluor-1-butene) (CAS		mg/kg	1	n.d.	-
No.: 357-26-6)					
六氟化硫 (Sulfur hexafluoride) (CAS No.:	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
2551-62-4)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
溴氯甲烷 (Bromochloromethan) (CAS	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
No.: 74-97-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三	參考US EPA 3550C: 2007 以氣相層析儀/	mg/kg	5	n.d.	-
唑 (紫外線吸收劑320) (2-benzotriazol-2-	質譜儀分析。(With reference to US EPA				
yl-4,6-di-tert-butylphenol (UV-320))	3550C: 2007, analysis was performed by				
(CAS No.: 3846-71-7)	GC/MS.)			<u> </u>	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of its inability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 16 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)	()				
氯 (CI) (Chlorine (CI)) (CAS No.: 22537-	 參考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
15-1)	析。(With reference to BS EN 14582:				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
32-2)			F0	ļ	
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
 釋出鎳 (Nickel-release)	 参考EN 1811: 2011+ A1: 2015,以感應耦	μg/cm²	0.1	9.09	-
梓山蘇 (Nickei-Telease)	合電漿發射光譜儀分析。(With reference	/week	0.1		_
	to EN 1811: 2011+ A1: 2015, analysis	·		10.02	-
	was performed by ICP-OES.)			9.90	-
放射性物質 (Radioactive substances)	蓋革計數器。(Geiger counter.)	μSv/hour	-	Negative*	_
砷 (Arsenic) (As) (※ E)	參考RSTS-EE-SVHC-007,以感應耦合電	mg/kg	50	n.d.	-
	漿發射光譜儀分析。(With reference to	3, 3			
	RSTS-EE-SVHC-007, analysis was				
	performed by ICP-OES.)				
五氧化二砷 (As₂O₅) (Diarsenic	由砷結果計算得之。(Calculated from the	mg/kg	50▲	n.d.	-
pentaoxide (As ₂ O ₅)) (CAS No.: 1303-	result of Arsenic.)				. 1
28-2)					
三氧化二砷 (As ₂ O ₃) (Diarsenic trioxide	由砷結果計算得之。(Calculated from the	mg/kg	50▲	n.d.	-
(As ₂ O ₃)) (CAS No.: 1327-53-3)	result of Arsenic.)				
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	參考RSTS-CHEM-239-1,以液相層析串聯	mg/kg	1	n.d.	-]
	質譜儀分析。(With reference to RSTS-				
	CHEM-239-1, analysis was performed by				
	LC/MS/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advased that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 17 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
多環芳香煙 (Polycyclic Aromatic Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	-
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	-
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	_
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	<u>-</u>
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	-
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	参考AfPS GS 2019:01 PAK·以氣相層析儀	mg/kg	0.2	n.d.	-
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	-
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	_
苯駢芘 (Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	_
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)	·	mg/kg	0.2	n.d.	
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	-
苯駢芴 (Fluoranthene) (CAS No.: 206- 44-0)		mg/kg	0.2	n.d.	-
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	-
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	_
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 18 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
德克隆(涵蓋各個反式及順式同分異構物或	参考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	10	n.d.	-
者相關組合) (1,6,7,8,9,14,15,16,17,	質譜儀分析。(With reference to US EPA				
17,18,18- Dodecachloropentacyclo	3550C: 2007, analysis was performed by				
[12.2.1.16,9.02,13.05,10]octadeca-7,15-	GC/MS.)				
diene ("Dechlorane Plus" TM)					
[covering any of its individual anti- and					
syn-isomers or any combination					
thereof])					
十溴二苯乙烷	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	50	n.d.	-
	質譜儀分析。(With reference to US EPA				
84852-53-9)	3550C: 2007, analysis was performed by				
	GC/MS.)				
硫 (S) (Sulfur (S)) (CAS No.: 7704-34-9)	參考US EPA 3052: 1996,以感應耦合電漿	mg/kg	2	n.d.	-
	發射光譜儀分析。(With reference to US			ŕ	
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)		···		
	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	Prohibited
ether (DecaBDE)) (CAS No.: 1163-19-5)	質譜儀分析。(With reference to US EPA				/ N/A(*3)
	3550C: 2007, analysis was performed by				
	GC/MS.)				
異丙基化磷酸三苯酯 (PIP 3:1) (Phenol,	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	Prohibited
isopropylated, phosphate (3:1) (PIP	質譜儀分析。(With reference to US EPA				/ N/A(*1)
3:1)) (CAS No.: 68937-41-7)	3550C: 2007, analysis was performed by				
	GC/MS.)				
2,4,6-三叔丁基酚 (2,4,6-TTBP) (2,4,6-	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	3000 /
Tris(tert-butyl)phenol (2,4,6-TTBP))	質譜儀分析。(With reference to US EPA				N/A(*2)
(CAS No.: 732-26-3)	3550C: 2007, analysis was performed by				
	GC/MS.)				
五氯苯硫酚 (PCTP)	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	10000
(Pentachlorothiophenol (PCTP)) (CAS	質譜儀分析。(With reference to US EPA				
No.: 133-49-3)	3550C: 2007, analysis was performed by				
	GC/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 19 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
六氯丁二烯 (HCBD)	参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	Prohibited
(Hexachlorobutadiene (HCBD)) (CAS	質譜儀分析。(With reference to US EPA				
No.: 87-68-3)	3550C: 2007, analysis was performed by	,			
	GC/MS.)				
正溴丙烷 (1-Bromopropane) (CAS No.:	参考US EPA 5021A: 2014,以氣相層析儀/	mg/kg	1	n.d.	-
106-94-5)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1,4-二氧陸圜 (1,4-Dioxane) (CAS No.:	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
123-91-1)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
N-甲基吡咯烷酮 (1-methyl-2-	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
pyrrolidone) (CAS No.: 872-50-4)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1,3-丁二烯 (1,3-Butadiene) (CAS No.:	参考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
106-99-0)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
1,2-二氯苯 (1,2-dichlorobenzene) (CAS	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-
No.: 95-50-1)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by			j	
	GC/MS.)				
1,4-二氯苯 (1,4-Dichlorobenzene) (CAS	參考US EPA 5021A: 2014 · 以氣相層析儀/	mg/kg	1	n.d.	-]
No.: 106-46-7)	質譜儀分析。(With reference to US EPA				
	5021A: 2014, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二環己酯 (DCHP) (Di-	參考IEC 62321-8: 2017·以氣相層析儀/質	mg/kg	50	n.d.	-
cyclohexyl phthalate (DCHP)) (CAS No.:					Ì
84-61-7)	8: 2017, analysis was performed by				
	GC/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of its inability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 20 of 70

測試方法	單位	MDL	結果	限值
(Method)	(Unit)		(Result)	(Limit)
			No.1	
	mg/kg	1	n.d.	-
,				
•	mg/kg	10	n.d.	-
,				
121, analysis was performed by LC/MS.)				
参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
質譜儀分析。(With reference to US EPA				
3550C: 2007, analysis was performed by				
GC/MS.)				
參考US EPA 3550C: 2007,以液相層析儀/	mg/kg	50	n.d.	-
質譜儀分析。(With reference to US EPA				
3550C: 2007, analysis was performed by				
LC/MS.)				
參考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	-
析。(With reference to BS EN 14582:				
2016, analysis was performed by IC.)				
參考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
析。(With reference to BS EN 14582:				
2016, analysis was performed by IC.)				
			ļ	
參考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	-
析。(With reference to BS EN 14582:				
2016, analysis was performed by IC.)				
· · · · · · · · · · · · · · · · · · ·				
	(Method) 参考US EPA 5021A: 2014・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) 参考RSTS-E&E-121・以液相層析儀/質譜 儀分析。(With reference to RSTS-E&E- 121, analysis was performed by LC/MS.) 参考US EPA 3550C: 2007・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) 参考US EPA 3550C: 2007・以液相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.) 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	(Method) (Unit) 参考US EPA 5021A: 2014・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) 参考RSTS-E&E-121・以液相層析儀/質譜 儀分析。(With reference to RSTS-E&E- 121, analysis was performed by LC/MS.) 参考US EPA 3550C: 2007・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) 参考US EPA 3550C: 2007・以液相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.) 参考BS EN 14582: 2016・以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 参考BS EN 14582: 2016・以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 参考BS EN 14582: 2016・以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	(Method) (Unit) 参考US EPA 5021A: 2014・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) 参考RSTS-E&E-121・以液相層析儀/質譜	(Method) (Unit) (Result) No.1 参考US EPA 5021A: 2014・以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) 参考RSTS-E&E-121・以液相層析儀/質譜 備分析。(With reference to RSTS-E&E-121, analysis was performed by LC/MS.) 参考US EPA 3550C: 2007・以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) 参考US EPA 3550C: 2007・以液相層析儀/質譜像分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) 参考US EPA 3550C: 2007・以液相層析儀/質譜像分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.) 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) 参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 21 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1-Tetradecanol, 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12, 12,13,13,14,14,14-pentacosafluoro (as Fluorine) (CAS No.: 39239-77-5)	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
1-Hexadecanol, 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12, 12,13,13,14,14,15,15,16,16,16- nonacosafluoro (as Fluorine) (CAS No.: 60699-51-6)	参考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
Hexadecane, 1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10, 11,11,12,12,13,13,14,14- nonacosafluoro-16-iodo (as Fluorine) (CAS No.: 65510-55-6)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
C8-14-全氟烷基乙醇 (以氟計) (Alcohols, C8-14, .gammaomegaperfluoro (as Fluorine)) (CAS No.: 68391-08-2)	参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
Thiols, C8-20, .gammaomega perfluoro, telomers with acrylamide. (as Fluorine) (CAS No.: 70969-47-0)	参考BS EN 14582: 2016・以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
Silicic acid (H4SiO4), sodium salt (1:2), reaction products with chlorotrimethylsilane and 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluoro-1-decanol. (as Fluorine) (CAS No.: 125476-71-3)	參考BS EN 14582: 2016 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
Thiols, C4-20, .gammaomega perfluoro, telomers with acrylamide and acrylic acid, sodium salts. (as Fluorine) (CAS No.: 1078712-88-5)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 22 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
1-Propanaminium, 3-amino-N-	參考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
(carboxymethyl)-N,N-dimethyl-, N-[2-	析。(With reference to BS EN 14582:				
[(.gammaomegaperfluoro-C4-20-a	2016, analysis was performed by IC.)				
[kyl)thio]acetyl] derivs., inner salts. (as			:		
Fluorine) (CAS No.: 1078715-61-3)					
Polyfluoroalkyl betaine (PROVISIONAL).	参考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	-
(as Fluorine) (CAS No.: CBI)	析。(With reference to BS EN 14582:				
	2016, analysis was performed by IC.)				
Modified fluoroalkyl urethane	參考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	-
(PROVISIONAL). (as Fluorine) (CAS No.:	析。(With reference to BS EN 14582:				
CBI)	2016, analysis was performed by IC.)	anna mana a a a a a a a a a a a a a a a	omatimus otomoranominare consu		
Perfluorinated polyamine	參考BS EN 14582: 2016,以離子層析儀分	mg/kg	50	n.d.	~
(PROVISIONAL). (as Fluorine) (CAS No.:	析。(With reference to BS EN 14582:				
CBI)	2016, analysis was performed by IC.)		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1-Propanesulfonic acid, 2-methyl-, 2-	參考US EPA 3052: 1996 · 以感應耦合電漿	mg/kg	2	n.d.	-
[[1-oxo-3-[(.gammaomega	發射光譜儀分析。(With reference to US				
perfluoro- C4-16-	EPA 3052: 1996, analysis was performed				
alkyl)thio]propyl]amino] derivs., sodium	by ICP-OES.)				
salts (as Sulfur) (CAS No.: 68187-47-3)					
六氯苯 (Hexachlorobenzene) (CAS No.:	参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
118-74-1)	質譜儀分析。(With reference to US EPA				l
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯酚 (PCP) (Chlorinated phenols	參考US EPA 8041A: 2007 · 以氣相層析儀/	mg/kg	10	n.d.	-
(PCP))	質譜儀分析。(With reference to US EPA				
	8041A: 2007, analysis was performed by				
	GC/MS.)				
	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
(紫外線吸收劑328) (2-(2H-benzotriazol-	質譜儀分析。(With reference to US EPA				
2-yl)-4,6-ditertpentylphenol (UV-328))	3550C: 2007, analysis was performed by				
(CAS No.: 25973-55-1)	GC/MS.)]		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 23 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟/多氟烷基物質 (PFAS)					
全氟壬酸及其鹽類 (PFNA and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorononan-1-oic acid and its salts	聯質譜儀分析。(With reference to				
(PFNA and its salts)) (CAS No.: 375-95-1	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				
全氟癸酸及其鹽類 (PFDA and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorodecane acid and its salts	聯質譜儀分析。(With reference to				
(PFDA and its salts)) (CAS No.: 335-76-2	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				
全氟十一烷酸及其鹽類 (PFUnDA and its	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (Perfluoroundecanoic acid and	聯質譜儀分析。(With reference to				
its salts (PFUnDA and its salts)) (CAS	CEN/TS 15968: 2010, analysis was			j	
No.: 2058-94-8 and its salts)	performed by LC/MS/MS.)				
全氟十二烷酸及其鹽類 (PFDoDA and its	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
	聯質譜儀分析。(With reference to				
salts (PFDoDA and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
307-55-1 and its salts)	performed by LC/MS/MS.)				
全氟十三烷酸及其鹽類 (PFTrDA and its	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
salts) (Pentacosafluorotridecanoic acid	聯質譜儀分析。(With reference to				
and its salts (PFTrDA and its salts)) (CAS	CEN/TS 15968: 2010, analysis was			:	
No.: 72629-94-8 and its salts)	performed by LC/MS/MS.)				
	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (Perfluorotetradecanoic acid and	聯質譜儀分析。(With reference to				
its salts (PFTDA and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
376-06-7 and its salts)	performed by LC/MS/MS.)				
1	PFNA, PFDA, PFUnDA, PFDoDA,	mg/kg	-	n.d.	-
	PFTrDA, PFTDA and their salts及其濃度				
1	總和(Sum of PFNA, PFDA, PFUnDA,	l			
1	PFDoDA, PFTrDA, PFTDA and their				
	salts)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of its inability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 24 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result) No.1	(Limit)
全氟-3,7-二甲基辛酸 (PF-3,7-DMOA)	参考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluoro-3,7-dimethyloctanoic Acid	聯質譜儀分析。(With reference to				
(PF-3,7-DMOA)) (CAS No.: 172155-07-	CEN/TS 15968: 2010, analysis was				
6)	performed by LC/MS/MS.)				
全氟癸烷磺酸及其鹽類 (PFDS and its	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
salts) (Perfluorodecane sulfonate and	聯質譜儀分析。(With reference to				
its salts (PFDS and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
126105-34-8, 335-77-3 and its salts)	performed by LC/MS/MS.)				
1H,1H,2H,2H-全氟十二烷基丙烯酸酯	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
(10:2 FTA) (1H,1H,2H,2H-	質譜儀分析。(With reference to CEN/TS				
Perfluorododecylacrylate (10:2FTA))	15968: 2010, analysis was performed by				
(CAS No.: 17741-60-5)	GC/MS.)	***************************************	a Tablin Shina and American and		
1H,1H,2H,2H-全氟-1-十二醇 (10:2	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
FTOH) (1H,1H,2H,2H-Perfluoro-1-	質譜儀分析。(With reference to CEN/TS				
dodecanol (10:2FTOH)) (CAS No.: 865-	15968: 2010, analysis was performed by				
86-1)	GC/MS.)				
C9-C14 PFCA相關物質的總濃度 (Sum of		mg/kg	-	n.d.	-
C9-C14 PFCA-related substances)	10:2FTA, 10:2FTOH及其濃度總和(Sum of				
	PF-3,7-DMOA, PFDS and its salts,				
	10:2FTA, 10:2FTOH)				15/10/20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
全氟丁酸及其鹽類 (PFBA and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorobutane acid and its salts	聯質譜儀分析。(With reference to			Ī	
(PFBA and its salts)) (CAS No.: 375-22-4	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				
全氟丁磺酸及其鹽類 (PFBS and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorobutane sulfonate and its salts	聯質譜儀分析。(With reference to				
(PFBS and its salts)) (CAS No.: 375-73-5	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				
1H,1H,2H,2H-甲基丙烯酸全氟己酯 (4:2	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
FTMA) (1H,1H,2H,2H-Perfluorohexyl	質譜儀分析。(With reference to CEN/TS			ŀ	l
methacrylate (4:2 FTMA)) (CAS No.:	15968: 2010, analysis was performed by				
1799-84-4)	GC/MS.)			i i	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 25 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
全氟戊酸及其鹽類 (PFPA and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluoropentane acid and its salts	聯質譜儀分析。(With reference to				
(PFPA and its salts)) (CAS No.: 2706-90-	CEN/TS 15968: 2010, analysis was				
3 and its salts)	performed by LC/MS/MS.)				
全氟已酸及其鹽類 (PFHxA and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorohexane acid and its salts	聯質譜儀分析。(With reference to				
(PFHxA and its salts)) (CAS No.: 307-24-	CEN/TS 15968: 2010, analysis was				
4 and its salts)	performed by LC/MS/MS.)				
全氟己基碘 (PFHxI) (Perfluorohexyl	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	1	n.d.	-
iodide (PFHxI)) (CAS No.: 355-43-1)	質譜儀分析。(With reference to CEN/TS		-		
	15968: 2010, analysis was performed by				
	GC/MS.)				
全氟己基乙烯 (PFHxE) (Perfluorohexyl	參考CEN/TS 15968: 2010 · 以氣相層析儀/	mg/kg	1	n.d.	-
ethylene (PFHxE)) (CAS No.: 25291-17-	質譜儀分析。(With reference to CEN/TS				
2)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟辛基碘 (6_2FOI)	参考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
(1H,1H,2H,2H-Perfluorooctyl iodide	質譜儀分析。(With reference to CEN/TS				
(6_2FOI)) (CAS No.: 2043-57-4)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟-1-辛醇 (6:2 FTOH)	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
(1H,1H,2H,2H-Perfluoro-1-octanol	質譜儀分析。(With reference to CEN/TS				
(6:2FTOH)) (CAS No.: 647-42-7)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟辛基丙烯酸酯 (6:2	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
FTA) (1H,1H,2H,2H-	質譜儀分析。(With reference to CEN/TS				
Perfluorooctylacrylate (6:2FTA)) (CAS	15968: 2010, analysis was performed by				
No.: 17527-29-6)	GC/MS.)				
	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
FTMAC) (1H,1H,2H,2H-Perfluorooctyl	質譜儀分析。(With reference to CEN/TS			j	
methacrylate (6:2 FTMAC)) (CAS No.:	15968: 2010, analysis was performed by				
2144-53-8)	GC/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 26 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H,2H-全氟辛磺酸 (H4PFOS 6:2) (1H,1H,2H,2H- Perfluorooctanesulphonic Acid (H4PFOS 6:2)) (CAS No.: 27619-97-2)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟己基磺酸及其鹽類 (PFHxS and its salts) (Perfluorohexane sulfonate and its salts (PFHxS and its salts)) (CAS No.: 355-46-4 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟-1-己烷磺醯胺 (N-MeFHxSA) (N-Methylperfluoro-1- hexanesulfonamide (N-Me-FHxSA)) (CAS No.: 68259-15-4)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟己烷磺醯胺 (PFHxSA) (Perfluorohexane sulfonamide (PFHxSA)) (CAS No.: 41997-13-1)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-[3-(二甲基氨基)丙基]十三氟己烷磺醯胺(N-AP-FHxSA) (N-[3-(dimethylamino)propyl]tridecafluorohe xanesulphonamide (N-AP-FHxSA)) (CAS No.: 50598-28-2)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
2-[甲基[(十三氟己基)磺醯基]氨基]丙烯酸 乙酯 (N-MeFHSEA) (2- [Methyl[(tridecafluorohexyl)sulphonyl]a mino]ethyl acrylate (N-MeFHSEA)) (CAS No.: 67584-57-0)	參考CEN/TS 15968: 2010‧以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
全氟庚酸及其鹽類 (PFHpA and its salts) (Perfluoroheptane acid and its salts (PFHpA and its salts)) (CAS No.: 375-85- 9 and its salts)	參考CEN/TS 15968: 2010.以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of is inability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 27 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
7H-十二氟庚酸 (HPFHpA) (7H- Dodecanefluoroheptane Acid (HPFHpA)) (CAS No.: 1546-95-8)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	_
全氟庚基磺酸及其鹽類 (PFHpS and its salts) (Perfluoroheptane sulfonate and its salts (PFHpS and its salts)) (CAS No.: 375-92-8 and its salts)	參考CEN/TS 15968: 2010,以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010·以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2)	參考CEN/TS 15968: 2010.以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8)	參考CEN/TS 15968: 2010.以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl-Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl- Perfluoroctanesulfonamidoethanol (N- Me-FOSE alcohol)) (CAS No.: 24448- 09-7)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 28 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
全氟辛基磺醯胺 (PFOSA)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluoroctanesulfonamide (PFOSA))	聯質譜儀分析。(With reference to				
(CAS No.: 754-91-6)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorooctanoic acid and its salts	聯質譜儀分析。(With reference to				
1,	CEN/TS 15968: 2010, analysis was				
and its salts)	performed by LC/MS/MS.)				
1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(1H,1H,2H,2H-Perfluorodecanesulfonic	聯質譜儀分析。(With reference to				
acid (8:2 FTS)) (CAS No.: 39108-34-4)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛酸甲酯 (Me-PFOA) (Methyl	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
perfluorooctanoate (Me-PFOA)) (CAS	質譜儀分析。(With reference to CEN/TS				Î
No.: 376-27-2)	15968: 2010, analysis was performed by				
	GC/MS.)				
全氟辛酸乙酯 (Et-PFOA) (Ethyl	參考CEN/TS 15968: 2010,以氣相層析儀/	mg/kg	0.1	n.d.	-
perfluorooctanoate (Et-PFOA)) (CAS	質譜儀分析。(With reference to CEN/TS				
No.: 3108-24-5)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH)	參考CEN/TS 15968: 2010 · 以氣相層析儀/	mg/kg	0.1	n.d.	-
	質譜儀分析。(With reference to CEN/TS				
FTOH)) (CAS No.: 678-39-7)	15968: 2010, analysis was performed by				
	GC/MS.)				
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2	參考CEN/TS 15968: 2010‧以氣相層析儀/	mg/kg	0.1	n.d.	-
FTA) (1H,1H,2H,2H-Perfluorodecyl	質譜儀分析。(With reference to CEN/TS				
acrylate (8:2 FTA)) (CAS No.: 27905-45-	15968: 2010, analysis was performed by				
9)	GC/MS.)				
1 ' ' '	參考CEN/TS 15968: 2010 · 以氣相層析儀/	mg/kg	0.1	n.d.	-
	質譜儀分析。(With reference to CEN/TS				
	15968: 2010, analysis was performed by				
1996-88-9)	GC/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of is inability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 29 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010‧以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟十五烷酸及其鹽類 (PFPeDA and its salts, C15) (Perfluoropentadecanoic acid and its salts (PFPeDA and its salts, C15)) (CAS No.: 141074-63-7 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十六烷酸及其鹽類 (PFHxDA and its salts, C16) (Perfluorohexadecanoic acid and its salts (PFHxDA and its salts, C16)) (CAS No.: 67905-19-5 and its salts)	參考CEN/TS 15968: 2010,以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	_
全氟十八烷酸及其鹽類 (PFODA and its salts, C18) (Perfluorooctadecanoic acid and its salts (PFODA and its salts, C18)) (CAS No.: 16517-11-6 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟壬烷磺酸及其鹽類 (PFNS and its salts) (Perfluorononane sulfonic acid and its salts (PFNS and its salts)) (CAS No.: 68259-12-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十一烷磺酸及其鹽類 (PFUnS and its salts) (Perfluoroundecane sulfonic acid and its salts (PFUnS and its salts)) (CAS No.: 749786-16-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟十二烷磺酸及其鹽類 (PFDoDS and its salts) (Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts)) (CAS No.: 79780-39-5 and its salts)	參考CEN/TS 15968: 2010,以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 30 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟十三烷磺酸及其鹽類 (PFTrDS and its salts) (Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts)) (CAS No.: 791563-89-8 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟十二烷基甲基丙烯酸酯 (10:2 FTMA) (1H,1H,2H,2H- Perfluorododecyl methacrylate (10:2 FTMA)) (CAS No.: 2144-54-9)	參考CEN/TS 15968: 2010 · 以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟十二烷基碘 (10:2 FTI) (1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI)) (CAS No.: 2043-54-1)	參考CEN/TS 15968: 2010 · 以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟十二烷磺酸 (10:2 FTS) (1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS)) (CAS No.: 120226-60-0)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	_
1H,1H,2H,2H-全氟十四烷基碘 (12:2 FTI) (1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI)) (CAS No.: 30046-31-2)	參考CEN/TS 15968: 2010,以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟十四烷基醇 (12:2 FTOH) (1H,1H,2H,2H- perfluorotetradecan-1-ol (12:2 FTOH)) (CAS No.: 39239-77-5)	參考CEN/TS 15968: 2010 · 以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H-全氟-1-癸烯 (PFDE) (1H,1H,2H-Heptadecafluoro-1-decene (PFDE)) (CAS No.: 21652-58-4)	參考CEN/TS 15968: 2010 · 以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟-3-甲氧基丙酸 (PFMPA) (Perfluoro- 3-methoxypropanoic acid (PFMPA)) (CAS No.: 377-73-1)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 31 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
全氟 4-甲氧基丁酸 (PFMBA) (Perfluoro- 4-methoxybutanoic acid (PFMBA)) (CAS No.: 863090-89-5)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟-3,6-二氧雜庚酸 (NFDHA) (Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)) (CAS No.: 151772-58-6)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
4,8-二氧雜-3H-全氟壬酸 (ADONA) (4,8-Dioxa-3H-perfluorononanoic acid (ADONA)) (CAS No.: 919005-14-4)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
2H,2H-全氟癸酸 (H2PFDA) (2H,2H- Perfluorodecane Acid (H2PFDA)) (CAS No.: 27854-31-5; 882489-14-7)	參考CEN/TS 15968: 2010·以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
2H,2H,3H,3H-全氟癸酸及其鹽類 (4HPFUnA and its salts) (2H,2H,3H,3H- Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts)) (CAS No.: 34598-33-9 and its salts)	參考CEN/TS 15968: 2010,以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
, , ,	參考CEN/TS 15968: 2010 · 以氣相層析儀/ 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
(1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI)) (CAS No.: 2043-53-0)	參考CEN/TS 15968: 2010.以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indeminication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 32 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其鹽類	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(HFPO-DA and its salts) (2,3,3,3-	聯質譜儀分析。(With reference to				
tetrafluoro-2-	CEN/TS 15968: 2010, analysis was				
(heptafluoropropoxy)propionic acide	performed by LC/MS/MS.)				
and its salts (HFPO-DA and its salts))		ĺ			
(CAS No.: 13252-13-6 and its salts)					
1H,1H,2H,2H-全氟己磺酸 (4:2 FTS)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(1H,1H,2H,2H-Perfluorohexanesulfonic	聯質譜儀分析。(With reference to				
Acid (4:2 FTS)) (CAS No.: 757124-72-4)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛烷磺酰胺乙酸 (FOSAA)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorooctane sulfonamidoacetic	聯質譜儀分析。(With reference to				
acid (FOSAA)) (CAS No.: 2806-24-8)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
N-甲基全氟辛烷磺酰胺乙酸(N-	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
MeFOSAA) (N-methylperfluorooctane	聯質譜儀分析。(With reference to				
sulfonamidoacetic acid (N-MeFOSAA))	CEN/TS 15968: 2010, analysis was				
(CAS No.: 2355-31-9)	performed by LC/MS/MS.)				
N-乙基全氟辛烷磺酰胺乙酸 (N-EtFOSAA)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(N-ethylperfluorooctane	聯質譜儀分析。(With reference to				
sulfonamidoacetic acid (N-EtFOSAA))	CEN/TS 15968: 2010, analysis was				
(CAS No.: 2991-50-6)	performed by LC/MS/MS.)				
全氟戊磺酸及其鹽類 (PFPeS and its salts)	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
(Perfluoropentane sulfonic acid and its	聯質譜儀分析。(With reference to				
salts (PFPeS and its salts)) (CAS No.:	CEN/TS 15968: 2010, analysis was				
2706-91-4 and its salts)	performed by LC/MS/MS.)				
3-全氟丙基丙酸 (3:3 FTCA) (3-	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
Perfluoropropyl propanoic acid (3:3	聯質譜儀分析。(With reference to				
FTCA)) (CAS No.: 356-02-5)	CEN/TS 15968: 2010, analysis was				Ì
	performed by LC/MS/MS.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 33 of 70

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
2-全氟己基乙酸 (6:2 FTCA) (2- Perfluorohexyl ethanoic acid (6:2 FTCA)) (CAS No.: 53826-12-3)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
3-全氟戊基丙酸 (5:3 FTCA) (3- Perfluoropentyl propanoic acid (5:3 FTCA)) (CAS No.: 914637-49-3)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	_
3-全氟庚基丙酸 (7:3 FTCA) (3- Perfluoroheptyl propanoic acid (7:3 FTCA)) (CAS No.: 812-70-4)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽 類 (8_2diPAP and its salts) (Bis(1H,1H,2H,2H- Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts)) (CAS No.: 678- 41-1 and its salts)	参考CEN/TS 15968: 2010・以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟(2-乙氧基乙烷)磺酸 (PFEESA) (Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)) (CAS No.: 113507-82-7)	參考CEN/TS 15968: 2010,以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
9-氯十六氟-3-氧雜壬烷-1-磺酸 (9Cl- PF3ONS) (9-Chlorohexadecafluoro-3- oxanonane-1-sulfonic acid (9Cl- PF3ONS)) (CAS No.: 756426-58-1)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
11-氯二十氟-3-氧雜十一烷-1-磺酸 (11CI-PF3OUdS) (11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3OUdS)) (CAS No.: 763051-92-9)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 34 of 70

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)	[(Result)	(Limit)
				No.1	
1H,1H,2H,2H-全氟十七烷三甲基氧矽烷	參考CEN/TS 15968: 2010 · 以氣相層析儀/	mg/kg	0.01	n.d.	-
(8:2 FTSi(OC2H5)3) (1H,1H,2H,2H-	質譜儀分析。(With reference to CEN/TS				
Perfluorodecyltriethoxysilane (8:2	15968: 2010, analysis was performed by				
FTSi(OC2H5)3)) (CAS No.: 101947-16-4)	GC/MS.)				
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。	**	-	Negative	-
	(Analysis was performed by Pyrolyzer-				
	GC/MS.)				

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 石綿定性分析試驗範圍: <0.1%~100%,石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為『Negative』。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
- 8. ▲:MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
五氧化二砷 (Diarsenic pentaoxide)	砷 (Arsenic)	1.5339
三氧化二砷 (Diarsenic trioxide)	砷 (Arsenic)	1.3203
氧化鈹 (Beryllium oxide) (BeO)	鈹 (Beryllium)	2.7753

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 35 of 70

- 9. Negative*/Positive*: 蓋革計數器偵測放射性物質的檢測結果係利用檢測值與環境背景值相比較的結果,一般天然環境下都存在微量的輻射劑量(一般環境背景的輻射劑量約小於等於0.2µSv/hr)。如果檢測值低於環境背景值時,表示正常或無異常(Negative*);相反地,檢測值高於環境背景值時,表示異常(Positive*)。
 - (The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2μ Sv/hr)
 - The test result less than environment background was shown as Negative*; the result greater than environment background was shown as Positive*.)
- 10. (※ E): 被萃取出的溶出砷是以感應耦合電漿發射光譜儀檢測得之。(The extracted soluble Arsenic is detected by ICPOES.)
- 11. μg/cm²/week = microgram per square centimeter per week

No.	樣品表面積 (cm²) (Sample Area)	測試溶液體積 (Volume of Test Solution) (ml)
1	2.66	3.0

- 12. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
- 13. 詳細法規說明請點以下網址連結。(Detail explanation of the regulation is available at the following link.) https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/persistent-bioaccumulative-and-toxic-pbt-chemicals-under-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca/persistent-bioaccumulative-and-tsca
- 14. N/A(*1): 若產品/成品為以下,則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following):
 - 航空或軍事用液壓油 (Hydraulic fluids for aviation or military)
 - 潤滑劑和油脂 (Lubricants and grease)
 - 汽車和航空航天器的新零件和替换零件 (New and replacement parts for motor and aerospace vehicles)
 - 在封閉系統中製造氰基丙烯酸酯粘合劑 (Manufacture of cyanoacrylate adhesives in closed systems)
 - 火車和船舶應用的專用發動機空氣濾清器 (Specialized engine air filters for locomotive and marine applications)
 - 從含PIP(3:1)的產品或成品中回收的塑料 (Plastic for recycling from PIP (3:1)-containing products or articles)
 - 從包含PIP(3:1)的產品或成品中回收的塑料製成的成品或成品 (Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles)
 - 於2024/10/31前加工和分銷含PIP(3:1)的成品 (Processing and distribution in commerce of PIP (3:1)-containing articles, before October 31, 2024)
- 15. N/A(*2): 若產品為非作為潤滑油中添加劑,則不適用。(The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indems-information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 36 of 70

16. N/A(*3): 若產品/成品為以下,則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following):

從產品或成品進行加工和分銷含十溴二苯醚回收的塑料或者由這種再生塑料製成的含十溴二苯醚的產品或成品。 (Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 37 of 70

PAHs Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Cat	egory 2)	第 3 類(Cat	egory 3)
項目 (Parameter)	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3	不屬於第 1 類的材料·並意圖或可預 見與皮膚接觸逾 30 秒(長期皮膚接觸) 或重複的短時間接觸(Materials that are not in Category 1, with		不屬於第 1 類或第 2 類的材料 · 並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with	
	years of age with intended long-term skin contact (> 30 seconds))		consumer	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer
Naphthalene	< 1	< 2)	< 1	0
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	\ 1 Sulli	< 3 3um	< 10 3um	< 20 Julii	< 50 Sulli
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50
留位(Unit)・ma/kg					

單位(Unit): mg/kg



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 38 of 70

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟丁酸及其鹽類 Perfluorobutane acid and its salts (PFBA and its salts)	全氟丁酸銨 (PFBA-NH ₄) Ammonium perfluorobutanoate (PFBA-NH ₄) 全氟丁酸鈉 (PFBA-Na)	10495-86-0 2218-54-4
(CAS No.: 375-22-4 and its salts)	Sodium perfluorobutanoate (PFBA-Na) 全氟丁酸鉀 (PFBA-K) Potassium heptafluorobutanoate (PFBA-K)	2966-54-3
	全氟丁酸銀 (PFBA-Ag) Silver perfluorobutanoate (PFBA-Ag)	3794-64-7
全氟丁磺酸及其鹽類 Perfluorobutane sulfonate and its	全氟丁基磺酸鋰 (PFBS-Li) Lithium perfluorobutanesulfonate (PFBS-Li)	131651-65-5
salts (PFBS and its salts) (CAS No.: 375-73-5 and its salts)	全氟丁基磺酸鎂 (PFBS-Mg) Magnesium perfluorobutanesulfonate (PFBS-Mg)	507453-86-3
	全氟丁基磺酸鉀 (PFBS-K) Perfluorobutane Sulfonate K-salt (PFBS-K)	29420-49-3
	全氟丁基磺酸氟 (PFBS-F) Perfluorobutane sulfonyl fluoride (PFBS-F)	375-72-4
	全氟丁基磺酸四乙基銨 (PFBS-N(CH ₃ CH ₂) ₄) Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH ₃ CH ₂) ₄)	25628-08-4
	全氟丁基磺酸三苯基鋶 (TPS-PFBS) Triphenylsulfanium perfluorobutane sulfonate (TPS-PFBS)	144317-44-2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/terms-of-service. Attention is drawn to the limitation of its intelligence in the intelligence in the service and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 39 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟丁磺酸及其鹽類 Perfluorobutane sulfonate and its	全氟丁基磺酸二甲基(苯基)硫 Dimethyl(phenyl)sulfanium perfluorobutane sulfonate	220133-51-7
salts (PFBS and its salts) (CAS No.: 375-73-5 and its salts)	全氟丁基磺酸四丁基磷 Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate	220689-12-3
	全氟丁基磺醯胺基-N-(甲基)乙醇 1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N- methylbutane-1-sulphonamide	34454-97-2
	全氟丁基磺酸嗎啉 Morpholinium perfluorobutanesulfonate	503155-89-3
	全氟丁基磺酸銨 (PFBS-NH4*) Perfluorobutylsulfonamide (PFBS-NH4*)	30334-69-1
	全氟丁基磺酸銨 (PFBS-NH ₄) Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1- sulphonate (PFBS-NH ₄)	68259-10-9
	全氟丁基磺酸水合物 Nonafluorobutanesulfonic acidHydrate	59933-66-3
	全氟丁基磺酸氯 (PFBS-CI) Nonafluoro-1-butanesulfonyl chloride (PFBS-CI)	2991-84-6
	1-(4-丁氧基-1-萘基)四氫噻吩九氟丁烷-1-磺酸鹽 1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate	-
全氟戊酸及其鹽類 Perfluoropentane acid and its salts	全氟戊酸鈉 (PFPA-Na) Sodium perfluoropentanoate (PFPA-Na)	2706-89-0
(PFPA and its salts) (CAS No.: 2706-90-3 and its salts)	全氟戊酸鈉 (PFPA-Na*) Perfluoropentanoic acid, Sodium Salt (PFPA-Na*)	2483735-37-9
	全氟戊酸鉀 (PFPA-K) Potasium perfluoropentanoate (PFPA-K)	336-23-2
	全氟戊酸銨 (PFPA-NH ₄) Ammonium perfluoropentanoate (PFPA-NH ₄)	68259-11-0
全氟已酸及其鹽類 Perfluorohexane acid and its salts	全氟已酸銨 (PFHxA-NH ₄) Ammonium perfluorohexanoate (PFHxA-NH ₄)	21615-47-4
(PFHxA and its salts) (CAS No.: 307-24-4 and its salts)	全氟已酸鈉 (PFHxA-Na) Sodium perfluorohexanoate (PFHxA-Na)	2923-26-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of is inability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 40 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟已酸及其鹽類 Perfluorohexane acid and its salts (PFHxA and its salts) (CAS No.: 307-24-4 and its salts)	全氟已酸鉀 (PFHxA-K) Potassium perfluorohexanoate (PFHxA-K)	3109-94-2
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its	全氟己基磺酸鈉 (PFHxS-Na) Perfluorohexanesulfonate Na-salt (PFHxS-Na)	82382-12-5
salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)	全氟己基磺酸鉀 (PFHxS-K) Perfluorohexanesulfonate K-salt (PFHxS-K)	3871-99-6
	全氟己基磺酸銨 (PFHxS-NH ₄) Ammonium perfluorohexanesulfonate (PFHxS-NH ₄)	68259-08-5
	全氟己基磺酸鋰 (PFHxS-Li) Perfluorohexanesulfonate Li-salt (PFHxS-Li)	55120-77-9
	全氟己基磺酸鋅 (PFHxS-Zn) Perfluorohexanesulfonate Zn-salt (PFHxS-Zn)	70136-72-0
	全氟己基磺醯氟 (PFHxS-F) Perfluorohexanesulfonate sulfonyl fluoride (PFHxS-F)	423-50-7
	三苯基(苯甲基)磷-, 1,1,2,2,3,3,4,4,5,5,6,6,6,6-十三氟-1-己 烷磺酸鹽 (1:1) Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonate (1:1)	1000597-52-3
	N,N,N-三丁基-1-丁銨與十三氟-1-己烷磺酸的鹽 N,N,N-tributylbutan-1-aminium tridecafluorohexane- 1-sulfonate	108427-54-9
	N,N,N-三乙基乙銨與十三氟-1-己烷磺酸的鹽 (1:1) N,N,N-triethylethanaminium tridecafluorohexane-1- sulfonate (1:1)	108427-55-0
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與吡咯烷的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1)	1187817-57-7

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.lw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.lw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 41 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)	N-[4-[[4-(二乙基氨基)苯基][4-(乙基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-乙基乙銨,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-24-0
	N-[4-[[4-(二甲基氨基)苯基][4-(乙基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-甲基甲鈹,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-27-3
	N-[4-[[4-(二甲基氨基)苯基][4-(苯基氨基)-1-萘基]亞甲基]-2,5-環己二-1-基]-N-甲基甲銨,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1310480-28-4
·	β-環糊精, 與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸離子(1-)的化合物 (1:1) Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-45-0
	γ-環糊精, 與1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸離 子(1-)的化合物 (1:1) Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)	1329995-69-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 42 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)	三苯基锍,1,1,2,2,3,3,4,4,5,5,6,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-1-hexanesulfonate (1:1)	144116-10-9
	喹啉鎓,1-(羧甲基)-4-[2-[4-[4-(2,2-二苯基乙烯基)苯基]-1,2,3,3a,4,8b-六氫環戊[b]吲哚-7-基]乙烯基]-1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	1462414-59-0
	二苯基碘鎓,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) lodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-1-hexanesulfonate (1:1)	153443-35-7
	N,N,N-三甲基甲銨與1,1,2,2,3,3,4,4,5,5,6,6,6,6-十三氟-1- 己烷磺酸的鹽 (1:1) Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)	189274-31-5
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與2-甲基-2-丙 胺的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1)	202189-84-2
	雙[4-(1,1-二甲基乙基)苯基]碘鎓, 1,2,2,3,3,4,4,5,5,6,6,6 -十三氟-1-己烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonate (1:1)	213740-81-9
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鎵鹽 (9CI) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, gallium salt (9CI)	341035-71-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 43 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)	雙(4-甲基苯基)苯基硫磺酸1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽(1:1) Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonate (1:1)	341548-85-4
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鈧(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, scandium(3+) salt (3:1) (PFHxS-Sc)	350836-93-0
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸釹(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, neodymium(3+) salt (3:1) (PFHxS-Nd)	41184-65-0
	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸釔(3+)鹽 (3:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, yttrium(3+) salt (3:1) (PFHxS-Y)	41242-12-0
	(硫代二-4,1-亞苯基)雙[二苯基硫鹽與 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸 (1:2) Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonic acid (1:2)	421555-73-9
	雙[4-(1,1-二甲基丙基)苯基]碘鎓鹽與 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸 lodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid	421555-74-0
	三[4-(1,1-二甲基乙基)苯基]锍-,1,1,2,2,3,3,4,4,5,5,6,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonate (1:1)	425670-70-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 44 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its salts (PFHxS and its salts)	十三氟己烷磺酸與二乙醇胺的化合物 Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)	70225-16-0
(CAS No.: 355-46-4 and its salts)	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸與N·N-二乙基乙胺的化合物 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)	72033-41-1
	雙[(1,1-二甲基乙基)苯基]碘鎓鹽-與 1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸(1:1) (9Cl) lodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9Cl)	866621-50-3
	(4-甲基苯基)二苯基锍-,1,1,2,2,3,3,4,4,5,5,6,6,6,6-十三氟- 1-己烷磺酸鹽 (1:1) Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1- hexanesulfonate (1:1)	910606-39-2
	[4-[(2-甲基-1-氧-2-丙烯-1-基)氧基]	911027-68-4
	[4-[(2-甲基-1-氧-2-丙烯-1-基)氧基]	911027-69-5



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 45 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟己基磺酸及其鹽類 Perfluorohexane sulfonate and its salts (PFHxS and its salts)	1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸銫鹽 (1:1) 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6- tridecafluoro-, cesium salt (1:1) (PFHxS-CsH)	92011-17-1
(CAS No.: 355-46-4 and its salts)	二苯並[k,n][1,4,7,10,13]四氧噻吩基環戊二烯鎓,19-[4-(1,1-二甲基乙基)苯基]-6,7,9,10,12,13-六氫-,1,1,2,2,3,3,4,4,5,5,6,6,6-十三氟-1-己烷磺酸鹽 (1:1) Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)	928049-42-7
全氟庚酸及其鹽類 Perfluoroheptane acid and its salts	全氟庚酸鈉 (PFHpA-Na) Sodium perfluoroheptanoate (PFHpA-Na)	20109-59-5
(PFHpA and its salts) (CAS No.: 375-85-9 and its salts)	全氟庚酸鉀 (PFHpA-K) Potassium perfluoroheptanoate (PFHpA-K)	21049-36-5
	全氟庚酸銨 (PFHpA-NH ₄) Ammonium perfluoroheptanoate (PFHpA-NH ₄)	6130-43-4
全氟庚基磺酸及其鹽類 Perfluoroheptane sulfonate and its	全氟庚基磺酸鈉 (PFHpS-Na) Perfluoroheptanesulfonate Na-salt (PFHpS-Na)	21934-50-9
salts (PFHpS and its salts) (CAS No.: 375-92-8 and its salts)	1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-十五氟庚烷-1-亞磺酸鈉 sodium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7- pentadecafluoroheptane-1-sulphinate	68555-66-8
	全氟庚基磺酸鉀 (PFHpS-K) Potassium perfluoroheptanesulfonate (PFHpS-K)	60270-55-5
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH4) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2)	70225-14-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 46 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its salts (PFOS and its salts)	全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C2H5)4)	56773-42-3
(CAS No.: 1763-23-1 and its salts)	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane- 1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
全氟辛酸及其鹽類 Perfluorooctanoic acid and its salts	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
全氟壬酸及其鹽類 Perfluorononan-1-oic acid and its salts (PFNA and its salts) (CAS No.: 375-95-1 and its salts)	全氟壬酸鈉 (PFNA-Na) Perfluorononanoate Na-salt (PFNA-Na)	21049-39-8
	全氟壬酸銨 (APFN) Perfluorononanoate ammounium salt (APFN)	4149-60-4
	全氟壬酸鉀 (PFNA-K) Potassium perfluorononanoate (PFNA-K)	21049-38-7



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 47 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟癸酸及其鹽類 Perfluorodecane acid and its salts	全氟癸酸鈉 (PFDA-Na) Perfluorodecanoate Na-salt (PFDA-Na)	3830-45-3
(PFDA and its salts) (CAS No.: 335-76-2 and its salts)	全氟癸酸氨 (APFDA) Perfluorodecanoate ammonium salt (APFDA)	3108-42-7
全氟十一烷酸及其鹽類 Perfluoroundecanoic acid and its	全氟十一烷酸銨 (PFUnDA-NH ₄) Ammonium perfluoroundecanoate (PFUnDA-NH ₄)	4234-23-5
salts (PFUnDA and its salts) (CAS No.: 2058-94-8 and its salts)	全氟十一烷酸鈉 (PFUnDA-K) Perfluoroundecanoic acid sodium salt (PFUnDA-K)	60871-96-7
全氟十二烷酸及其鹽類 Perfluorododecanoic acid and its salts (PFDoDA and its salts) (CAS No.: 307-55-1 and its salts)	全氟十二烷酸銨 (APFDoDA) Ammonium perfluorododecanoate (APFDoDA)	3793-74-6
全氟壬烷磺酸及其鹽類 Perfluorononane sulfonic acid and	全氟壬烷磺酸鈉 (PFNS-Na*) Sodium perfluoro-1-nonanesulfonate (PFNS-Na*)	98789-57-2
its salts (PFNS and its salts) (CAS No.: 68259-12-1 and its salts)	全氟壬烷磺酸銨 (PFNS-NH ₄) Ammonium nonadecafluorononanesulphonate (PFNS-NH ₄)	17202-41-4
全氟十一烷磺酸及其鹽類 Perfluoroundecane sulfonic acid and its salts (PFUnS and its salts) (CAS No.: 749786-16-1 and its salts)	全氟十一烷磺酸鈉 (PFUnS-Na+) Sodium perfluoroundecane sulfonic (PFUnS-Na+)	-
全氟十二烷磺酸及其鹽類 Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts) (CAS No.: 79780-39-5 and its salts)	全氟十二烷磺酸鈉 (PFDoDS-Na*) Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na*)	1260224-54-1
全氟十三烷磺酸及其鹽類 Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts) (CAS No.: 791563-89-8 and its salts)	全氟十三烷磺酸鈉 (PFTrDS-Na*) Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na*)	174675-49-1
全氟癸烷磺酸及其鹽類 Perfluorodecane sulfonate and its	全氟癸烷磺酸鈉 (PFDS-Na) Perfluorodecanesulfonate Na-salt (PFDS-Na)	2806-15-7
salts (PFDS and its salts) (CAS No.: 126105-34-8, 335-77-3 and its salts)	全氟癸烷磺酸鉀 (PFDS-K) Perfluorodecanesulfonate K-salt (PFDS-K)	2806-16-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/lerms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/lerms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 48 of 70

物質濃度分類 (Classification of Substance Concentration)	物質名稱 (Substance Name)	CAS No.
全氟癸烷磺酸及其鹽類 Perfluorodecane sulfonate and its salts (PFDS and its salts) (CAS No.: 126105-34-8, 335-77-3 and its salts)	全氟癸基磺酸銨 (PFDS-NH ₄) Perfluoroaliphatic dean-sulfonate salt of NH ₄ (PFDS-NH ₄)	67906-42-7
2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其 鹽類 2,3,3,3-tetrafluoro-2-	2,3,3,3-四氟-2-(七氟丙氧基)丙酸鉀 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, K- salts	67118-55-2
(heptafluoropropoxy)propionic acide and its salts (HFPO-DA and its salts) (CAS No.: 13252-13-6 and its salts)	2,3,3,3-四氟-2-(七氟丙氧基)丙酸銨 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, ammonium salts	62037-80-3
	2,3,3,3-四氟-2-(七氟丙氧基)丙酸醯基氟化物 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionicacid, its acyl halides	2062-98-8
2H,2H,3H,3H-全氟癸酸及其鹽類 2H,2H,3H,3H-Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)	2H,2H,3H,3H-全氟癸酸鉀(H4PFUnA-K) Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	全氟戊磺酸鈉 (PFPeS-Na*) Sodium perfluoro-1-pentanesulfonate (PFPeS-Na*)	630402-22-1
鹽類	雙(1H,1H,2H,2H-全氟癸基)磷酸酯鈉 (8:2diPAP-Na) Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6



Test Report

號碼(No.): ETR23601893


日期(Date): 28-Jun-2023

頁數(Page): 49 of 70

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 50 of 70

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report

號碼(No.): ETR23601893


日期(Date): 28-Jun-2023

頁數(Page): 51 of 70

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 52 of 70

甲醛分析流程圖 / Analytical flow chart - Formaldehyde






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 53 of 70

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 54 of 70

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos 【参考方法(Reference method): EPA 600/R-93/116】





Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023


頁數(Page): 55 of 70

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氣酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 56 of 70

二氯化鈷分析流程圖 / Analytical flow chart - Cobalt dichloride






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 57 of 70

富馬酸二甲酯分析流程圖 / Analytical flow chart - Dimethyl Fumarate






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 58 of 70

有機磷化合物分析流程圖 / Analytical flow chart - Organic phosphorus compounds






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 59 of 70

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 60 of 70

有機錫分析流程圖 / Analytical flow chart - Organic-Tin





Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 61 of 70

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】

樣品前處理/分樣 /
Sample pretreatment/separation

樣品以 THF 四氫呋喃溶解萃取 /
Sample dissolved/extracted by THF

萃取液稀釋 /
Dilute extracted solution

氣相層析質譜儀分析 /
Analysis was performed by GC/MS



Test Report


號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 62 of 70

揮發性有機化合物分析流程圖/ Analytical flow chart of volatile organic compounds (VOCs)

【參考方法/Reference method: US EPA 5021A】





Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 63 of 70

鹵素分析流程圖 / Analytical flow chart - Halogen

樣品前處理/分樣 / Sample pretreatment / Separation

秤重及將樣品放入樣品槽中 / Weighting and putting sample in cell

燃燒彈/吸收 / Oxygen bomb combustion / Absorption

稀釋至固定體積 / Dilution to fixed volume

以離子層析儀分析 / Analysis was performed by IC




Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 64 of 70

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 65 of 70

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 66 of 70

持久性生物累積毒性物質 (PBTs) 分析流程圖 / Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 67 of 70

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 68 of 70

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






Test Report

號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 69 of 70

紅磷分析流程 / Analytical flow chart - Red phosphorus





Test Report


號碼(No.): ETR23601893

日期(Date): 28-Jun-2023

頁數(Page): 70 of 70

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23601893



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its Ganeral Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.