

145 Adams Avenue, Hauppauge, NY 11788, USA
Tel: 1.631.435.1110 Fax: 1.631.435.1824
WWW.Centralsemi.com

PCN # 197_Rev 1

Revision 1 Notification Date: January 15, 2021 Original Notification Date: September 22, 2020

mailto:processchange@centralsemi.com
https://www.centralsemi.com/process-change-notices

Product / Process Change Notice

Parts Affected:

Diodes and transistors manufactured in the SOT-26 case.

Extent of Change:

Change in assembly site; and change in die attach method from eutectic to silver epoxy.

Reason for Change:

As part of Central Semiconductor's supply chain risk mitigation initiative, and in an effort to ensure an undisrupted supply of product, a change in assembly site is being made for the referenced products. Device specifications, quality, and reliability are not impacted by this change.

Effect of Change:

This change does not affect the fit, form or function of the devices.

Qualification:

Test	Condition	Duration	Failure rate
Temperature Cycling (T.C.)	TA= -55°C to +175°C Dwell time = 15 min. JESD22-A104 & MIL-STD-750 TM1051	1000 Cycles	0/77
High Temp. Storage Life (H.T.S.L.)	TA= +150°C (-0/+10°C) JESD22-A103	1000 Hours	0/77
High Temp. Reverse Bias (H.T.R.B.)	T=+125°C Bias conditions per Data Sheet JESD22-A108	1000 Hours	0/77
Unbiased Highly Accelerated Temp. and Humidity Stress Test (U.H.A.S.T.)	T=+110°C, RH=85% JESD22-A110	264 Hours	0/77
Highly Accelerated Temp. and Humidity Stress Test (H.A.S.T.)	T=+110°C, RH=85% JESD22-A110	264 Hours	0/77
Resistance to Solder Heat (R.S.H.)	Pb free: T =270°C ±5°C, Dwell=7s +2/-0 Thru-hole devices submerge to case JESD22-B106	1 Cycle	0/5
Thermal Shock Test (T.S.T.)	T=-65°C to +150°C Dwell time = 5 min. Max Transfer time 20 sec. JESD22-A106	100 Cycles	0/77
Solderability (SD)	Steam Age: T=93°C +3/-5°C. Pb-free Dip: T=245°C +/-5°C Dwell time = 5+/-0.5sec MIL-STD-750 TM2026	1 Cycle	0/15

Page 1 of 2



www.centralsemi.com

PCN # 197_Rev 1

Revision 1 Notification Date: January 15, 2021 Original Notification Date: September 22, 2020

mailto:processchange@centralsemi.com

https://www.centralsemi.com/process-change-notices

Effective Date of Change:

Existing inventory will be shipped until depleted.

Sample Availability:

Please contact your salesperson or manufacturer's representative for samples.

Part Numbers Affected:

CMXD2004	CMXSH-3
CMXD2004S	CMXTC935A
CMXD2004SR	CMXT2222A
CMXD2004TO	CMXT3904
CMXD3003TO	CMXT3906
CMXD3004SR	CMXT3946
CMXD4448	CMXZ10VTO
CMXD6001	

As per JEDEC standard JESD46, Customer Notification of Product/Process Changes by Solid-State Suppliers, a lack of acknowledgement of a PCN within thirty (30) days constitutes acceptance of the change.

The undersigned acknowledges and accepts Central Semiconductor's Product/Process Change Notification (PCN).

Company Name:	
Address:	
Printed Name:	
Title:	
Signature:	
Date:	

Page 2 of 2